

Completely silent mini fridges

- Electronic temperature control (Fuzzy Logic) with automatic defrost
- Everlasting lighting with Infra Red door sensor
- Changeable outer door panel
- Reversible door opening (left and right-hinged)
- Available in 3 colours (white, black and aluminium)
- Free-standing and built-in version



Dometic DS 200 & DS 300

The DS 200 is easy to install and is small enough to fit anywhere - but big enough for a wide selection of drinks and snacks.

The DS 300 has an attractive and practical size. Both models also feature self-cut of the shelf in order to have space for huge bottles (1.5 l)

Dometic DS 400 & DS 600

The worldwide best selling model - the DS 400 is your partner for serving cool drinks and food.

The DS 600 is the largest member of the Dometic Silencio miniCool range. It has the biggest interior volume in the entire Silencio product range. Both models are available in stylish aluminium, and feature variable door racks.



Mini fridge product range



	DS 200 FS	DS 300 FS	DS 400 FS	DS 600 FS
Volume	23	28	32	43
Dimensions (W x H x D,mm)	422 x 495 x 393	422 x 580 x 393	422 x 580 x 450	486 x 592 x 494
Weight (kg)	15	15	17	20
Energy Consumption (kwh/24H)	0.74	0.76	0.8	0.88
Max Input	65	65	65	85
LED interior light	✓	✓	✓	✓
Features	<ul style="list-style-type: none"> • available in white & black • self cut shelf for large bottles • electronic temp control with auto defrost 		<ul style="list-style-type: none"> • available in white, black & aluminium • adjustable inner shelves • variable door racks • electronic temp control with auto defrost 	

JustCatering.Com

Distributed By

JustCatering.Com Ltd

10 Jessop Avenue, Norwood Green, Middlesex, UB2 5UY, UK

Tel/Fax: +44 (0)2088431712 Mobile: 07929291670

E-mail: sales@justcatering.com Web: http://www.justcatering.com

 **Dometic**

HiPro Line

The lowest energy consuming absorption miniBar in the world

Distributed By
JustCatering.Com Ltd

10 Jessop Avenue, Norwood Green, Middlesex, UB2 5UY, UK

Tel/Fax: +44 (0)2088431712 Mobile: 07929291670

E-mail: sales@justcatering.com Web: <http://www.justcatering.com>



Every HiPro miniBar contains the best of 90 years of experience. The HiPro 3000 is the lowest energy consuming absorption miniBar in the world!



Dometic HiPro has redefined the standards for pioneering miniBar design – the result of over nine decades of consistent development. With the aim of maximum customer satisfaction, we have scrutinised all the requirements of comfort and technology in detail. The result will impress you.

HiPro miniBars are distinctive due to their progressive design and a whole host of innovative technical detail solutions that are so unique that we have grouped them together under the name HiPro technology.

HiPro technology stands for a quality dimension which only Dometic can offer you.

- Modular system of shelves and door racks
- Lowest energy consumption for noiseless absorption miniBars
- Setup diagnosis via LED
- Sensor-controlled LED interior light
- LED door opening control display (optional)
- Temperature setting by remote control
- Clip & Click: door hinge can be changed without tools
- Fuzzy Logic Technology
- Automatic Defrost

HiPro Line

Product comparison



Model	HiPro 3000	HiPro 4000	HiPro Vision	HiPro 6000
Model class (litre)	30	40	40	60
Storage volume (litre)	26	34	34	48
Cabinet colour	Anthracite	Anthracite	Anthracite	Anthracite
Dimensions Built-in version (H x W x D, in mm)	527 x 388 x 418	559 x 405 x 452	559 x 405 x 465	568 x 490 x 475
Can be built-in/integrated	■	■	■	■
Variable sliding hinge	■	■	–	■
Variable door hinge	■	■	■	■
LED interior light	■	■	■	■
Input rating (W)	65	65	65	80
Energy consumption (kWh/24 h)	0.57	0.65	0.74	0.70
Noise level (db[A])	0	0	0	0
Model versions	Basic, Standard	Basic, Standard	**	Basic, Standard
Options	<ul style="list-style-type: none"> ■ Lock ■ Decorative panel ■ LED door opening control display ■ Infra-red remote control 	<ul style="list-style-type: none"> ■ Lock ■ Decorative panel ■ LED door opening control display ■ Infra-red remote control ■ Also available as stand-alone model* 	<ul style="list-style-type: none"> ■ Lock ■ LED door opening control display ■ Infra-red remote control ■ Also available as stand-alone model* 	<ul style="list-style-type: none"> ■ Lock ■ Decorative panel ■ LED door opening control display ■ Infra-red remote control

*Available with rear wall cover and 42 mm feet (+20 mm depth).

** With two long shelves

Models



Basic

- 2 long shelves
- Flat inner door
- Integrated door handle



Standard

- 2 short shelves
- Inner door with 2 multifunctional racks (one for large bottles and one for small)
- Inner door in the "bottle body" design for 1.5-litre bottles
- Integrated door handle

Classic Line

Easy replacement or additional comfort



Just replace or upgrade with silent cooling comfort. Proven standard dimensions ensure quick and easy installation without furniture modification.



Energy-saving made easy. With the Classic Line models, contemporary cooling comfort has now arrived. Equipped with innovative and energy-efficient absorption cooling technology, the miniBars ensure silent service and maintenance-free comfort with added value. This is also due to sensor-controlled monitoring of the cooling unit, energy-efficient Fuzzy Logic temperature regulation, automatic defrost and proven Dometic design.

TIP

Are your miniBars more than 15 years old?

If yes, it's worth replacing your appliance immediately. You can save on energy by more than 50% with today's miniBars featuring Fuzzy Logic technology. Just by saving on energy, your new investment will pay for itself within a few years, because old miniBars sometimes consume more than double the energy. Get in touch with us! We will be glad to advise you.

Classic Line

Product comparison



Model	RH 423 LDA	RH 439 LD / RH 449 LD	RH 548 LD	RH 569 LD
Model class (litre)	23	30/40	40	60
Storage volume (litre)	23	25/32	37	58
Cabinet colours	Anthracite	Anthracite	Anthracite	Anthracite
Dimensions (BI version) Built-in version (H x W x D, in mm)	435 x 422 x 384	522 x 380 x 434 (RH 439 LD) 552 x 422 x 439 (RH 449 LD)	554 x 401 x 446	560 x 486 x 484
Can be built-in/integrated	■	■	■	■
Sliding hinge	■	■	■	■
Variable door hinge	■	■	■	■
LED interior light	■	■	■	■
Input rating (W)	65	65	65	75
Energy consumption (kWh/24 h)	0.70	0.65 / 0.70	0.75	0.76
Noise level (db[A])	0	0	0	0
Options	<ul style="list-style-type: none"> ■ LED door opening control display ■ Temperature setting by remote control ■ Decorative panel ■ Door handle ■ Also available as stand-alone model (FS version) 	<ul style="list-style-type: none"> ■ LED door opening control display ■ Temperature setting by remote control ■ Decorative panel ■ Door handle ■ Also available as stand-alone model (FS version) 	<ul style="list-style-type: none"> ■ LED door opening control display ■ Temperature setting by remote control ■ Decorative panel 	<ul style="list-style-type: none"> ■ LED door opening control display ■ Temperature setting by remote control ■ Decorative panel

Models

RH 423 LDA

- 1 door rack for smaller bottles
- 1 adjustable metal shelf with recess for tall bottles

RH 439 LD / 449 LD

- 2 adjustable door racks for bottles (small and large)
- Both door racks with adjustable spacers
- 2 adjustable metal shelves

RH 548 LD

- 2 adjustable door racks for bottles (small and large)
- 1 adjustable shelf

RH 569 LD

- 2 adjustable door racks for bottles (small and large)
- 2 adjustable metal shelves
- Bottle fingers

Classic Line

Glass door models – blend into the room perfectly



The world's only absorption miniBars with glass door, which correspond to the requirements of the Commission Regulation (EC) No. 643/2009 and Commission Regulation (EU) 1060/2010



Glass door miniBars will support guest consumption. Available in 3 model classes – for 20, 30 and 40 litres – these glass door models offer plenty of room for an appealing product presentation with potential for profit. All models feature Fuzzy Logic Technology, CUC System and automatic defrost

TIP

Do you want to make the miniBar business even more profitable?

Then do not hide the miniBar away in the room. Well placed miniBars with glass doors will enhance the room's interior considerably. The enticing product presentation behind glass encourages impulse purchases.



NEW

Also available as an option with a mirror glass door design

Are you looking for more miniBars with glass doors? Go to page 13 for HiPro Vision.

Classic Line

Product comparison



Model	RH 429 LDAG	RH 439 LDAG	RH 449 LDAG
Model class (litre)	20	30	40
Storage volume (litre)	18	26	33
Cabinet colours	Anthracite	Anthracite	Anthracite
Dimensions* Built-in version (H x W x D, in mm)	435 x 422 x 384	522 x 380 x 434	552 x 422 x 439
Can be built-in/integrated	■	■	■
Variable door hinge	■	■	■
LED interior light	■	■	■
Input rating (W)	75	75	75
Energy consumption (kWh/24 h)	0.74	0.75	0.75
Noise level (db[A])	0	0	0
Options	<ul style="list-style-type: none"> ■ LED door opening control display ■ Temperature setting by remote control ■ Also available as stand-alone model (FS version)* ■ New from 2014: also available with mirror door 	<ul style="list-style-type: none"> ■ LED door opening control display ■ Temperature setting by remote control ■ Also available as stand-alone model (FS version)* ■ New from 2014: also available with mirror door 	<ul style="list-style-type: none"> ■ LED door opening control display ■ Temperature setting by remote control ■ Also available as stand-alone model (FS version)* ■ New from 2014: also available with mirror door

* With cooling unit cover and 28 mm feet.

Models

RH 429 LDAG

- 1 adjustable metal shelf with recess for tall bottles
- Glass door with aluminium frame

RH 439 LDAG

- 2 adjustable metal shelves
- Glass door with aluminium frame

RH 449 LDAG

- 2 adjustable metal shelves
- Glass door with aluminium frame

Basic Line

The value-for-money class



Dometic quality at a great price. With the 30 and 40-litre-class miniBars of the Basic Line, you can get to know the value-for-money side of silent cooling comfort.

Technically advanced and absolutely reliable, the models represent an efficient view of modern absorption technology – made in Europe. This means you can blend the comfort of today with advanced Fuzzy Logic technology without exceeding your budget.

TIP

Selling miniBar products is not generating profit for you?

Nevertheless, a cooling option in the room can still offer an extra service benefit. Provide your guests with an empty miniBar. They can cool their own drinks, medicine, cosmetics, baby food and many other things – an extra service from you to your guests!



Basic Line

Product comparison



Model	RH 131 DBI	RH 141 DBI
Model class (litre)	30	40
Storage volume (litre)	28	38
Cabinet colours	Black	Black
Dimensions Built-in version (H x W x D, in mm)	524 x 380 x 445	554 x 422 x 451
Can be built-in/integrated	■	■
Sliding hinge	■	■
Variable door hinge	■	■
Input rating (W)	65	65
Energy consumption (kWh/24 h)	0.73	0.75
Noise level (db[A])	0	0
Options	<ul style="list-style-type: none"> ■ LED interior light (RH 131 LDFS/LDBI) ■ Lock ■ Also available as a stand-alone version (FS version) 	<ul style="list-style-type: none"> ■ LED interior light (RH 141 LDFS/LDBI) ■ Lock ■ Also available as a stand-alone version (FS version)

Models

RH 131

- 1 door rack for small bottles, with adjustable spacers
- 1 door rack for bottles and cans, with spacers
- 2 adjustable shelves

RH 141

- 1 door rack for small bottles, with adjustable spacers
- 1 door rack for bottles and cans, with spacers
- 2 adjustable shelves
- Bottle fingers

Food Line

Suitable for food and more



Unique worldwide.
No other noiseless refrigerator reaches an interior temperature of 4 °C at up to an ambient temperature of 32 °C.



Chilled drinks and food right at your fingertips all the time. When there is no room for an ordinary refrigerator, a miniCool in the Food Line series is a great advantage. Whether it's for everyday use in hospitals and nursing homes with the shortest possible distances for patients and residents or for a bit of privacy in student accommodation. The Food Line provides silent cooling comfort without compromising. As the only cooling appliance in this class, the models are suitable for fresh food.

Ideal for:

- Hospitals
- Nursing homes
- Offices/meeting rooms
- Student homes / apartments
- At home as an additional refrigerator in the bedroom, living room or children's room



Food Line

Product comparison



Model	DS 200	DS 300	DS 400	DS 600
Storage volume (litre)	21	27	32	43
Cabinet colour	Black or white	Black or white	Black or white	Black or white
Dimensions Stand-alone (H x W x D, in mm)	495 x 422 x 393	580 x 422 x 393	580 x 422 x 450	592 x 486 x 494
Dimensions Built-in version* (H x W x D, in mm)	455 x 422 x 383	540 x 422 x 383	540 x 422 x 440	552 x 486 x 484
Can be built-in/integrated	■	■	■	■
Variable door hinge	■	■	■	■
LED interior light	■	■	■	■
Input rating (W)	65	65	65	85
Energy consumption (kWh/24 h)	0.74	0.76	0.76	0.77
Noise level (db[A])	0	0	0	0
Options	<ul style="list-style-type: none"> ■ Sliding hinge ■ Lock ■ Wheels ■ Wall mounting 	<ul style="list-style-type: none"> ■ Sliding hinge ■ Lock ■ Wheels ■ Wall mounting 	<ul style="list-style-type: none"> ■ Sliding hinge ■ Lock ■ Wheels ■ Wall mounting 	<ul style="list-style-type: none"> ■ Sliding hinge ■ Lock ■ Wheels ■ Wall mounting

Models

DS 200	DS 300	DS 400	DS 600
<ul style="list-style-type: none"> ■ Adjustable plastic shelf with recess for tall bottles ■ Flat inner door 	<ul style="list-style-type: none"> ■ 2 adjustable plastic shelves with recess for tall bottles ■ Flat inner door 	<ul style="list-style-type: none"> ■ 2 adjustable plastic shelves ■ 3 adjustable door racks 	<ul style="list-style-type: none"> ■ 2 adjustable plastic shelves ■ 3 adjustable door racks

* BI version: for fully-integrated installation (without decorative panel, base frame, unit cover and housing cover, with sliding hinge)



Stand-alone model with decorative panel.

E Line

Economical and compact



Thanks to energy efficiency class A+, you reduce your monthly operating costs with the Dometic E Line miniBars.



Look forward to your electricity bill! The miniBars in the E Line have the A+ energy efficiency class and a record-breaking low power consumption. The outer dimensions of the miniBar are also extremely compact thanks to the thermoelectric cooling units. Furthermore, the models score points with a well-organised interior and an attractive LED interior light.

Leasing and financing *

TIP

The flexible leasing and financing options of our products offer you the required financial freedom you need and also allow tax benefits. Select from our tailor-made leasing or financing options. Get in touch with us. We'd be glad to explain the benefits to you and make you a personal offer.

* Available for selected countries.

E Line

Product comparison



Model	RH 430 NTE	RH 440 NTE
Model class (litre)	30	40
Storage volume (litre)	25	34
Cabinet colours	Anthracite	Anthracite
Dimensions (H x W x D, in mm)	522 x 384 x 395	554 x 401 x 425
Can be built-in/integrated	■	■
Variable door hinge	■	■
LED interior light	■	■
Input rating (W)	55	55
Energy consumption (kWh/24 h)	0.29	0.29
Energy efficiency class	A+	A+
Noise level (db[A])	0	0

Models

RH 430 NTE

- 1 adjustable door rack for small bottles
- 1 door rack for large bottles, with spacers
- 1 adjustable shelf
- Sensor-controlled LED interior light

RH 440 NTE

- 1 adjustable door rack for small bottles
- 1 door rack for large bottles
- 1 adjustable shelf
- Sensor-controlled LED interior light

Drawer miniBars

Patented design in two sizes



Convenient slide-out access, silent or even noiseless operation, low energy consumption: Dometic drawer miniBars set new standards in design and efficiency. Dometic DM 20 is the world's first noiseless 20-litre class drawer miniBar with an A++ energy rating. Having the same width as conventional 30-litre absorption miniBars, it will easily replace them. Dometic DM 50 provides 50 litres capacity in an award-winning design featuring an automatic slide-out tray for snacks and mini bottles and an adjustable drawer for bottles and cans.

- Unique design for convenient slide-out access
- Thermoelectric cooling unit for low energy consumption
- Noiseless cooling comfort (DM 20)
- Silent operation (DM 50)
- Patented and design awarded technology

World's
first noiseless
minibar with

A++



DM 20 / DM 50

Product comparison



Model	DM 20 D/F	DM 50 D/F
Model class (litre)	20	50
Storage volume (litre)	15,8	45
Cabinet colours	Anthracite	Anthracite
Dimensions	DM 20 D: 365 x 384 x 428	DM 50 D: 418 x 550 x 508
Built-in version (H x W x D, in mm)	DM 20 F: 365 x 384 x 398	DM 50 F: 418 x 550 x 480
Can be built-in/integrated	■	■
LED interior light	■	■
Input rating (W)	52	80
Energy consumption (kWh/24 h)	0.20	0.38
Energy efficiency class	A++	A
Noise level (db[A])	0	37.6
Options	■ Lock	■ Lock

Models

DM 20 D/F

- Highly flexibel system of dividers and bottle fingers
- DM 20 D: with a decorative anthracite panel and handle
- DM 20 F: prepared for a wood decor panel to match the furniture design of the room

DM 50 D/F

- Highly flexibel system of dividers and bottle fingers
- DM 50 D: with a decorative anthracite panel and handle
- DM 50 F: prepared for a wood decor panel to match the furniture design of the room



LED interior light



Two compartments for tempting product presentation (DM 50)

RH 456 LD

Stand-alone miniBar with curved door



Ground-breaking miniBar design. 56 litre capacity (incl. 16 litre ambient temperature compartment). Can be fitted as a built-in unit (RH 456 LDE) or stand-alone miniBar (RH 456 LD). The elegant curved door with acrylic glass panel provides a clear view into the illuminated ambient temperature compartment. Door opening control display. Sensor-controlled LED interior light.

- Silent absorption cooling
- Fuzzy Logic, the intelligent energy control
- Cooling Unit Control (CUC system)
- Fully-automatic defrosting



Model	RH 456 LD/LDE
Storage volume (litre)	40
Ambient compartment (litre)	16
Cabinet colour	Anthracite
Dimensions RH 456 LD Stand-alone (H x W x D, in mm)	719 x 450 x 505
Dimensions RH 456 LDE Built-in version (H x W x D, in mm)	662 x 450 x 505
Input rating (W)	65
Energy consumption (kWh/24 h)	0.75
Noise level (db[A])	0
Options	<ul style="list-style-type: none"> ■ Door hinge, left (for project orders) ■ LED door opening control display ■ Remote control for temperature setting

Model

RH 456 LD

Stand-alone unit with rollers

- 2 adjustable door racks for mini bottles
- 1 adjustable door rack for bottles and cans
- Bottle fingers
- 1 adjustable shelf
- LED interior light

Available as an integrated model (LDE version) without rollers and cover panel on top.

RH 465 LD

Stand-alone miniBar with wooden cabinet




Stand-alone miniBar design on rollers featuring a 32 litre refrigerated and 25 litre ambient compartment. Sensor-controlled LED interior light. Unique, sensor-controlled monitoring of the cooling unit (CUC system). Beech wood cabinet as standard. Available in various colours for project orders*. Door with snap lock. Variable version of inner door with 3 racks (2 for small bottles, 1 for large bottles). Non-chilled ambient compartment for glasses, snacks and beverages – or for installing a Dometic Safe (proSafe 281, MD 281, MD 282).

- Noiseless absorption cooling
- Fuzzy Logic, the intelligent energy control
- Cooling Unit Control (CUC system)
- Fully-automatic defrosting



* Colour selection for project orders



Optional door opening control LED

Model

RH 465 LD

- 2 adjustable door racks for small bottles
- 1 adjustable door rack for bottles and cans
- Bottle fingers and spacer for a safe and secure hold in the lower door rack
- 2 adjustable shelves
- Wood cabinet in beech decor

Model	RH 465
Storage volume (litre)	32
Ambient compartment (litre)	25
Cabinet colours	Beech wood decor
Dimensions	814 x 457 x 443
Stand-alone (H x W x D, in mm)	771 x 457 x 443 (without wheels)
LED interior light	■
Input rating (W)	65
Energy consumption (kWh/24 h)	0.70
Noise level (db[A])	0
Options	<ul style="list-style-type: none"> ■ LED door opening control display ■ Colour selection for project orders* ■ Remote control for temperature setting ■ Door knob instead of snap lock



miniCool health care refrigerator

For maintaining optimum temperatures

The ideal solution for storing heat-sensitive medicine safely at a temperature between 2 °C and 8 °C. The compartments enable you to keep the medicine arranged and grouped clearly. A digital thermometer monitors the internal temperature and stores the highest and lowest temperature for a control period set by you. Both products are now available with compressor cooling technology and further reduced energy consumption.

Perfectly suited for:

pharmacies

doctors' practices

nursing wards

nursing homes

- LED interior light
- Drawers with flexible compartments for well-arranged storage of medicine
- Digital thermometer with memory (min./max.)
- Audible warning if the door is open for more than 20 seconds
- Constant temperature level due to integrated fan
- Door lock for secure storage
- **New:** Optionally with compressor cooling technology

Health care refrigerators

Product comparison



Absorption

Model	DS 301 H	DS 601 H
Storage volume (litre)	27	52
Cabinet colour	White	White
Dimensions Stand-alone (H x W x D, in mm)	580 x 422 x 393	592 x 486 x 494
Input rating (W)	65	85
Energy consumption (kWh/24 h)	0.86	1.05

NEW



Compressor

Model	HC 302	HC 502
Storage volume (litre)	29	43
Cabinet colour	White	White
Dimensions Stand-alone (H x W x D, in mm)	580 x 422 x 450	592 x 486 x 494
Input rating (W)	70	70
Energy consumption (kWh/24 h)	0.42	0.44

Model

DS 301

- LED interior light
- Door handle
- Digital thermometer with memory (min./max.)
- 3 drawers with flexible compartments
- Door lock

DS 601

- LED interior light
- Door handle
- Digital thermometer with memory (min./max.)
- 3 drawers with flexible compartments
- Door lock

HC 302

- LED interior light
- Door handle
- Digital thermometer with memory (min./max.)
- 3 slide out drawers
- Door lock

HC 502

- LED interior light
- Door handle
- Digital thermometer with memory (min./max.)
- 3 slide out drawers
- Door lock

miniCool with freezer

The space-saving miracle

Small space, great versatility. The miniCool models with integrated freezers provide cooling comfort in a compact housing. The space-saving design makes them suitable for use in small spaces where a freezer is required.



- Powerful cooling system
- Fuzzy Logic, the intelligent energy control
- Cooling Unit Control (CUC system)
- Fully-automatic defrosting (WA 3200)



Models

WA 3200

- With curved door
- 2 adjustable door shelves
- 2 adjustable shelves
- Interior light

EA 3280

- 2 adjustable door shelves
- 2 adjustable shelves
- Interior light

Model	WA 3200	EA 3280
Storage volume (litre)	54	65
Freezer (litre)	5	6
Cabinet colour	White	White
Dimensions Stand-alone (H x W x D, in mm)	592 x 486 x 496	592 x 525 x 533
Input rating (W)	95	105
Can be built-in/integrated	–	■
Variable door hinge	■	■
Power consumption (kWh/24 h)	1.40	1.60
Noise level (db[A])	0	0
Options		




Dometic miniBars

Handy hints on ventilation

To ensure optimum cooling performance with minimum energy consumption, several basic principles need to be followed when installing an absorption miniBar. The heat which the cooling unit extracts from the refrigerator interior is emitted at the back of the miniBar. There must be sufficient ventilation here to prevent a

build-up of heat. The free ventilation space for incoming and outgoing air should be at least 200 cm². The distance from the rear of the miniBar to the rear wall of the furniture must be at least 2 cm. When installing the miniBar, ensure that it is standing on a stable and horizontal surface, and not directly near a heat source.



Outgoing air (warm), incoming air (ambient)

Product line	Model	Model class Litre	Storage Volume Litre	Housing colours	Built-in version dimensions Height x Width x Depth, mm	Stand-alone dimensions Height x Width x Depth, mm				
Comfort Class										
HiPro Line	HiPro 3000	30	26	Anthracite	527 x 388 x 418	-				
	HiPro 4000	40	34	Anthracite	559 x 405 x 452	601 x 405 x 472				
	HiPro Vision	40	34	Anthracite	559 x 405 x 465	601 x 405 x 485				
	HiPro 6000	60	48	Anthracite	568 x 490 x 475	-				
Classic Line	RH 423 LDA	23	23	Anthracite	435 x 422 x 384	463 x 422 x 384				
	RH 439 LD	30	25	Anthracite	522 x 380 x 434	550 x 380 x 434				
	RA 449 LD	40	32	Anthracite	552 x 422 x 439	580 x 422 x 439				
	RH 548 LD	40	37	Anthracite	554 x 401 x 446	554 x 401 x 446				
	RH 569 LD	60	58	Anthracite	560 x 486 x 484	560 x 486 x 484				
	RH 429 LDAG	20	18	Anthracite	435 x 422 x 384	463 x 422 x 384				
	RH 439 LDAG	30	26	Anthracite	522 x 380 x 434	550 x 380 x 434				
	RH 449 LDAG	40	33	Anthracite	552 x 422 x 439	580 x 422 x 439				
Basic Line	RH 131 D/LD	30	28	Black	524 x 380 x 445	552 x 380 x 455				
	RH 141 D/LD	40	38	Black	554 x 422 x 451	582 x 422 x 451				
Food Line	DS 200	20	21	White, black	455 x 422 x 383	495 x 422 x 393				
	DS 300	30	27	White, black	540 x 422 x 383	580 x 422 x 393				
	DS 400	40	32	White, black	540 x 422 x 440	580 x 422 x 450				
	DS 600	60	43	White, black	552 x 486 x 484	592 x 486 x 494				
Efficient Class										
E Line	RH 430 NTE	30	25	Anthracite	522 x 384 x 395	-				
	RH 440 NTE	40	34	Anthracite	554 x 401 x 425	-				
Special Class										
Drawer miniBars	DM 20 D/F	20	15,8	Anthracite	DM 20 D: 365 x 384 x 428 DM 20 F: 365 x 384 x 398	-				
	DM 50 D/F	50	45	Anthracite	DM 50 D: 418 x 550 x 508 DM 50 F: 418 x 550 x 480	-				
Mobile miniBars	RH 456 LD/LDE	-	40 + 16	Anthracite	662 x 450 x 505	719 x 450 x 505				
	RH 465 LD	-	32 + 25	Beech	771 x 457 x 443	814 x 457 x 443				
Health care refrigerators	DS 301 H	30	27	White	-	580 x 422 x 393				
	DS 601 H	60	52	White	-	592 x 486 x 494				
	HC 302	30	29	White	-	580 x 422 x 450				
	HC 502	50	43	White	-	592 x 486 x 494				
miniCool with freezer	WA 3200	60	54 + 5 (freezer)	White	-	592 x 486 x 496				
	EA 3280	70	65 + 6 (freezer)	White	-	592 x 525 x 533				
Subject to errors and product modifications										
Product line	Model	Food suitability	freezer	Glass door	Sliding hinge integration possible	Door hinge changeable	Decor panel**	Power consumption kWh/24 h*	Energy efficiency class	
							** Custom made decor panel for project orders			
Comfort Class										
HiPro Line	HiPro 3000	-	-	-	■	■	■	0.57	C	
	HiPro 4000	-	-	-	■	■	■	0.65	C	
	HiPro Vision	-	-	■	■	■	■	0.74	D	
	HiPro 6000	-	-	-	■	■	■	0.70	D	
Classic Line	RH 423 LDA	-	-	-	■	■	■	0.70	D	
	RH 439 LD	-	-	-	■	■	■	0.65	D	
	RA 449 LD	-	-	-	■	■	■	0.70	D	
	RH 548 LD	-	-	-	■	■	■	0.75	D	
	RH 569 LD	-	-	-	■	■	■	0.76	D	
	RH 429 LDAG	-	-	■	-	■	-	0.74	D	
	RH 439 LDAG	-	-	■	-	■	-	0.75	D	
	RH 449 LDAG	-	-	■	-	■	-	0.75	D	
Basic Line	RH 131 D/LD	-	-	-	■	■	-	0.73	D	
	RH 141 D/LD	-	-	-	■	■	-	0.75	D	
Food Line	DS 200	■	-	-	■	■	■	0.74	D	
	DS 300	■	-	-	■	■	■	0.76	D	
	DS 400	■	-	-	■	■	■	0.76	D	
	DS 600	■	-	-	■	■	■	0.77	D	
Efficient Class										
E Line	RH 430 NTE	-	-	-	■	■	-	0.29	A+	
	RH 440 NTE	-	-	-	■	■	-	0.29	A+	
Special Class										
Mobile miniBars	RH 456 LD/LDE	-	-	-	■	-	-	0.75	D	
	RH 465 LD	-	-	-	■	-	-	0.70	D	
Drawer miniBars	DM 20 D/F	-	-	-	■	-	■/-	0.20	A++	
	DM 50 D/F	-	-	-	■	-	■/-	0.38	A	
Health care refrigerators	DS 301 H	■	-	-	-	■	■	0.86	-	
	DS 601 H	■	-	-	-	■	■	1.05	-	
	HC 302	■	-	-	-	■	■	0.42	-	
	HC 502	■	-	-	-	■	■	0.44	-	
miniCool with freezer	WA 3200	■	■	-	-	■	-	1.40	G	
	EA 3280	■	■	-	■	■	-	1.60	G	
Subject to errors and product modifications										

* All energy consumption labels correspond to the requirements of the Commission Regulation (EC) No. 643/2009 and Commission Regulation (EU) 1060/2010.