

Pre-Rinse Units – Spring Type

Pre-rinse assemblies are approximately 38" (965mm) high with a clearance height for underside of Pre-rinse sprayhead to base of faucet of 10" (254mm).

The overhanging projection distance from centre-line of faucet to centre-line of spray head assembly is 15" (381mm).

KN56, KN66 and KN60 Series are furnished with 1/2" NPS mounting hardware.

These units are not suitable for low water pressure areas – a minimum of 2 Bar, 28 PSI, is the optimum working pressure.



Part No.	Description
KN53-1000-BR	Wall mounted. Furnished with 1/2" NPS female inlets. 8" (200mm) adjustable centres.



JustCatering.Com Ltd

10 Jessop Avenue, Norwood Green, Middlesex,UB2 5UY, UK Tel/Fax: +44 (0)2088431712 Mobile: 07929291670 E-mail: sales@justcatering.com Web: http://www.justcatering.com



Part No.	Description
KN50-1000-BR	Furnished with 1/2" NPS male inlets on 4" (100mm) centres with 1/4" NPT union tailpieces and mounting hardware. 32mm diameter hole required.



Part No.	Description
KN56-1000-BR	Furnished with 1/2" NPS mounting hardware. 4" (100mm) adjustable centres.





Part No.	Description
KN66-1000-BR	Furnished with 1/2" NPS mounting hardware. 6" (153mm) adjustable centres.



Part No.	Description
KN60-1000-BR	Furnished with 1/2" NPS mounting hardware. 8" (200mm) adjustable centres.



Part No.	Description
KN63-1000-BR	Furnished with 1/2" NPS male inlet, 1/4" NPT union tailpiece and mounting hardware.



Part No.	Description
KN69-1000-BR	Wall mounted. Furnished with 1/2" NPS nipple and mounting hardware.



Pre-rinse Units

- Heavy gauge swivel arm mated to a solid, forged swivel elbow, designed to withstand the demands of commercial operations
- Available with 12" (304mm) or 18" (457mm) swing arm offering a full 360° rotation
- Furnished with both a conventional pattern spray head
 as well as exclusive ENCORE water saver spray head
- Wall bracket included for fast, secure installation
- Includes a spray head hook which holds spray head away from work area when not in use
- Nylon reinforced hose is protected by heavy gauge, stainless steel shield complete with ENCORE's exclusive strain relief spring, ensuring long product life



Part No.	Description
K50Y500	Optional heavy-duty swivel arm support is recommended



Part No.	Description
K50Y051	Swivel joint allows hose to swivel 360° on pre-rinse swivel arm



Part No.	Description
K635026–12	Single deck mounted swivel arm Pre-rinse assembly.



Part No.	Description
K505026-12	Double pantry swivel arm Pre-rinse assembly. Furnished with 1/2" NPS male inlets on 4" (100mm) centres with 1/4" NPT union tailpieces and mounting hardware. 32mm diameter hole required.





Part No.	Description
K535026-12	Wall mounted swivel arm Pre-rinse assembly with 8" (200mm) adjustable centres.



Part No.	Description
K605026-12	Deck mounted swivel arm Pre-rinse assembly with 8" (200mm) adjustable centres.

Pre-rinse Units – Accessories Add-on Faucets

The Add-on Faucet extends the flexibility of Pre-rinse assemblies by providing additional swivel spout capability.

The only Add-on Faucet designed specifically to permit full spout swing without interference with the riser pipe.

Installation is easy, utilising the same water lines and controls as the Pre-rinse. Separate valve is used to control the spout flow.

Available with ceramic valves.

KN55 Series Add-on Faucet With Swing Spouts



Part No.	Spout Length
KN55-7006	6" (150mm)
KN55-7008	8" (200mm)
KN55-7010	10" (250mm)
KN55-7012	12" (300mm)
KN55-7014	14" (350mm)
KN55-7016	16" (400mm)

PowerPulse

- PowerPulse™ pre-rinse spray valve with grip
- High-efficiency pre-rinse spray valve
- Flow rate: 1.05 gpm 60 psi
- Unique pulsing action
- I ow lead complian:
- Stainless steel non-clogging nozzles deliver low maintenance
- Reduced heat transfer to grip



Part No.	Flow rate (litres/min)	Clean time (seconds)	Total water usage (litres)
KLP50-0220105	3.98	12	0.79

H2O Pre-Rinse Parts & Accessories



Part No.	Encore Part No.	Description
DP50Y020	K50Y020	12"Wall bracket
DP50Y20		6" Wall bracket



Part No.	Encore Part No.	Description	
DP50Y004	K50Y004-44		
DP50Y10	K50Y010-44	Hose only	



Part No.	Description
DP557006	6″ add-on tap
DP557008	8" add-on tap
DP557012	12" add-on tap



Part No.	Encore Part No.	Description	
DP50X77 K50X077		Riser pipe with wall hook	





Part No. DP50X33



Part No.	Description
DP50Y67	Valve replacements (one hot and one cold valve replacement per pack)
K50Y006	Cold valve replacement (Encore)
K50Y007	Hot valve replacement (Encore)



Part No.	Description
DP63Y001	Single deck mounted tap body only



Part No. DP50X32

Encore Part No.	Description
K504004-44	Stainless steel hose with grip
K504010-44	Stainless steel hose only
K50X025	Plastic hose grip
K50X032	Spring retainer
K50X033	Coil spring
	K504004-44 K504010-44 K50X025 K50X032



Part No. DP50Y2

Part No. K50Y002

Part No.	Description
DP50Y2	Spray gun
DP50Y2/.65G	Low-flow spray gun
K50Y002	Encore spray gun



Part No.	Description
DP60Y003	Double deck mounted tap body only





Part No. DP50Y001

Part No. DP50X125

Part No.	Description
DP50Y001*	Monobloc mounted tap body only
DP50X125	Deck mounted connector
	* WRAS approved.







Part No. DP70Y001

Part No. DP50X123

Part No.	Description
DP70Y001*	Single wall mounted tap body only
DP50X123	Wall mounted connector
	* WRAS approved.





Part No.	Encore Part No.	Description
DP50Y27	K50Y027	Self closing cartridge for gun



Part No.	Encore Part No.	Description
DP500110	K500110	Lever handle repair kit



Encore Part No.	Description
K500200	Spray gun repair kit