

ALFA200XM

Stainless steel humidified fan oven 6 trays 600x400 mm. or GN1/1

Outside dimensions: (WxHxD) 871x832x835 mm.
 Thermostat setting range 50 - 250° C
 Timer setting range 0 - 60 minutes
 Load capacity 6 trays dim.600x400 mm. or GN1/1 (optional)
 Stainless steel muffle
 Electricity supply 400V 3N - 50 hz
 Maximum power consumption 8,5 kW
 System of two fans turning in opposite directions, with timed direction reversal



Accessories:

Extraction hood **K200X-1**
 Oven stand **TVL135**
 Heated rising cabinet **LEV101X**
 Ovens stand for N.2 ALFA200XM **TVL200X2**
 Kit n.4 chrome grids **3805**
 Kit n.2 undulated aluminium trays with holes **3721**
 Kit n.4 aluminium trays **3743**
 Kit n.4 flat aluminium trays with holes **3751**
 Kit n.2 stainless steel trays GN1/1 depth 20 **TX11P20**
 Kit n.2 stainless steel trays GN1/1 depth 40 **TX11P40**
 Kit n.2 stainless steel trays GN1/1 depth 65 **TX11P65**

Modulo ALFA200X

Cooking module

Outside dimensions (WxHxD): 900x2012/2017x1112 mm.

Comprising 1 oven mod: ALFA200X+ extraction hood K200X-1
 + oven stand TVL135

Capacity oven 6 trays 600x400 mm. or GN1/1
 Capacity support: 16 trays 600x400 mm. or GN1/1



K200X-1

Stainless steel extraction hood with st/steel anti-grease filters

Outside dimensions: (HxWxD) 870x280x1012 mm.

Electricity supply 230V -50hz

Maximum power consumption 400W

2 motors with extraction rate of 615 m³/h each

Double speed extraction

Removable and washable outside st/steel filters

2 charcoal filters on the motor.

Vent outlet



Specific for: **ALFA200X**

TVL135

Stainless steel oven stand

Outside dimensions: (HxWxD) 900x900/950x850 mm.

Constructed in stainless steel throughout

Adjustable feet

Capacity 16 trays 600x400 or GN1/1



Suitable for ovens:

ALFA200X

ALFA135XE

ALFA135VE

ALFA161X

TVL200X2

Stainless steel stand for 2 ALFA200X ovens

Outside dimensions: (HxWxD): 1054x1100x770
Constructed in stainless steel throughout
Adjustable feet

Suitable for ovens:

ALFA200X

LEV101X

Humidified s/s heated rising cabinet for ALFA200X

Outside dimensions: (WxHxD) 900x900x750 mm.
Adjustable thermostat
Trays capacity: no.10 dim. 600x400 mm.
Structure in 18/10 stainless steel
Double magnet door catch
Maximum power absorption 950 W - 230 V



Suitable for:

ALFA200X

3805

Kit 4 chrome grids 600 x 400 mm.



Specific for ovens:

ALFA200X

ALFA135XE
ALFA135VE
ALFA161X

3721

Kit 2 undulated aluminium trays with holes 600 x 400 mm.



Specific for ovens:

ALFA200X
ALFA135XE
ALFA135VE
ALFA161X

3743

Kit 4 aluminium trays 600 x 400 mm.



Specific for ovens:

ALFA200X
ALFA135XE
ALFA135VE
ALFA161X

3751

Kit 4 flat aluminium trays with holes 600 x400 mm



Specific for ovens:

ALFA200X
ALFA135XE
ALFA135VE
ALFA161X

TX11P20

Kit 2 stainless steel trays depth 20 mm. GN 1/1



Specific for ovens:

ALFA200X
ALFA135XE
ALFA135VE
ALFA161X

JustCatering.Com Ltd

Tel: +44 (0) 845 0034271
Direct line +44 (0) 7006342365
VAT number GB 877 7569 45
Registered in England No. 5420563

Email sales@justcatering.com
Web site www.justcatering.com

Email sales@justcooking.co.uk
Web site www.justcooking.co.uk

Email sales@justwaste.com
Web site www.justwaste.com

Email sales@justbars.com
Web site www.justbars.com