

turbofan®

10 Jessop Avenue, Norwood Green, Middlesex, UB2 5UY, UK
Tel/Fax: +44 (0)2088431712 Mobile: 07929291670
E-mail: sales@justcatering.com Web: http://www.justcatering.com

TODAYS INNOVATIVE, EASY TO USE TURBOFAN RANGE HAS BEEN DESIGNED AND MANUFACTURED TO THE HIGHEST SPECIFICATION ANDS CONTINUES TO PROVIDE A CLASS LEADING SOLUTION FOR EVERY KIND OF CATERING LOCATION.THESE EASY TO USE OVENS HAVE BEEN DESIGNED WITH A CLEAR UNDERSTANDING OF OUR CUSTOMERS NEEDS AND THE CHANGING DEMANDS OF THE CATERING INDUSTRY.DELIVERING OUTSTANDING COOKING,,BAKING AND ROASTING PERFORMANCE, USING IMPROVED BI-DIRECTIONAL FAN SYSTEMS THAT ACHIEVE BETTER THAN EVER RESULTS

FEATURES...

- SPACE SAVING EFFICIENCY
- BI-DIRECTIONAL FAN SYSTEM
- DUAL BI-DIRECTIONAL FAN SYSTEM
- MORE OVENS, MORE APPLICATIONS
- PORTABLE COOKING
- FIELD REVERSIBLE SIDE HINGED DOORS
- SAFE TOUCH VENTED OVEN DOORS
- DIGITAL CONTROL MODELS
- MARKET LEADING TRAY SPACING
- HALOGEN OVEN LAMPS
- MOISTURE INJECTION
- GRILL MODE
- SAFE TOUCH VENTED OVEN DOORS
- VITREOUS ENAMELLED OVEN CHAMBER

WWW.BLUESEALEQUIPMENT.CO.UK

20MSERIES



Reduced footprints, better rack spacing and a bi-directional fan system.

30DSERIES



The ultimate in commercial convection ovens - ideal for baking, roasting and holding.

POWERFUL PERFORMANCE, SMALLER FOOTPRINT,



P SERIES



Our upgraded range of easy to use Provers/ Holding Cabinets, are smart in design and even smarter in engineering, The eight or twelve tray units come with an auto-fill humidity generator and holding cabinet function mode as standard.

INNOVATIVE FEATURES... IN A CLASS OF ITS OWN.

20D SERIES

Dimensions / Power (w x d x h)	Options	kw	Price (exc. VAT)
-----------------------------------	---------	----	------------------



E22M3

MANUAL ELECTRIC CONVECTION OVEN



Rack capacity: 3
610mm x 608mm x 552mm
Electrical requirements:
230-240V, 50/60Hz,
1 Phase+N+E, 2.1kW, 9A
10A cordset supplied

3 x 460mm x 330mm half size sheet pan capacity 2.1
3 x 2/3 GN pan capacity
70mm Tray spacing
Compact 610mm width
3 Oven wire racks supplied
Single direction low-velocity fan
Double Stacking Kit DSK2223C

£1,490.00

£480.00

E22T tray 440x330mm £24.00



SK23 STAND £485.00
Stainless steel stand with castors
W 610mm x D 530mm x H 880mm



E23M3

MANUAL ELECTRIC CONVECTION OVEN



Rack capacity: 3
610mm x 642mm x 607mm
Electrical requirements:
230-240V, 50/60Hz,
1 Phase+N+E, 3.0kW, 12A
13A cordset fitted

3 x 460mm x 330mm half size sheet pan capacity 3.0
3 x 2/3 GN pan capacity
85mm Tray spacing
Compact 610mm width
3 Oven wire racks supplied
Bi-directional reversing fan system
Double Stacking Kit DSK2223C

£1,600.00

£480.00

E22T tray 440x330mm £24.00



SK23 STAND £485.00
Stainless steel stand with castors
W 610mm x D 530mm x H 880mm



E27M2/3

MANUAL ELECTRIC CONVECTION OVEN



Rack capacity: 2
810mm x 762mm x 607mm
Electrical requirements:
230-240V, 50/60Hz,
1 Phase+N+E, 3.0kW, 12A
13A cordset supplied

2 x 460mm x 660mm full size sheet pan capacity 3.0
3 x 600mm x 400mm tray capacity
85mm Tray spacing
Compact 810mm width
3 Oven wire racks supplied
Bi-directional reversing fan system
Double Stacking Kit DSK272831C

£1,815.00

£590.00

E27FT tray 400x600mm £24.00
E32UST tray 460x660mm £22.00



SK2731N STAND £450.00
Stainless steel stand with castors
Suits 600mm x 400mm trays and 1/1 GN pans
W 610mm x D 530mm x H 880mm



SK2731U STAND £485.00
Stainless steel stand with castors
Suits 660mm x 460mm pans
W 610mm x D 530mm x H 880mm



E27M3

MANUAL ELECTRIC CONVECTION OVEN



Rack capacity: 3
810mm x 762mm x 607mm
Electrical requirements:
230-240V, 50/60Hz,
1 Phase+N+E, 4.7kW, 19.6A
No cordset supplied

3 x 460mm x 660mm full size sheet pan capacity 4.7
3 x 600mm x 400mm tray capacity
85mm Tray spacing
Compact 810mm width
3 Oven wire racks supplied
Bi-directional reversing fan system
Double Stacking Kit DSK272831C

£1,995.00

£590.00

E27FT tray 400x600mm £24.00
E32UST tray 460x660mm £22.00



SK2731N STAND £450.00
Stainless steel stand with castors
Suits 600mm x 400mm trays and 1/1 GN pans
W 610mm x D 530mm x H 880mm



SK2731U STAND £485.00
Stainless steel stand with castors
Suits 660mm x 460mm pans
W 610mm x D 530mm x H 880mm

Dimensions / Power (w x d x h)	Options	kw	Price (exc. VAT)
-----------------------------------	---------	----	------------------



E28M4 | MANUAL ELECTRIC CONVECTION OVEN

Rack capacity: 4 810mm x 762mm x 662mm Electrical requirements: 230-240V, 50/60Hz, 1 Phase+N+E, 5.8kW, 25A No cordset supplied	4 x 460mm x 660mm full size sheet pan capacity 5.8 4 x 600mm x 400mm tray capacity 80mm Tray spacing Compact 810mm width 4 Oven wire racks supplied Twin Bi-directional reversing fans Double Stacking Kit DSK272831C		£2,700.00
			£480.00

E32UST tray 460x660mm £22.00



SK2731N STAND £450.00
Stainless steel stand with castors
Suits 600mm x 400mm trays and 1/1 GN pans
W 610mm x D 530mm x H 880mm



SK2731U STAND £485.00
Stainless steel stand with castors
Suits 660mm x 460mm pans
W 610mm x D 530mm x H 880mm

30D SERIES



E311D4 | DIGITAL ELECTRIC CONVECTION OVEN

Rack capacity: 4 810mm x 616mm x 625mm Electrical requirements: 230-240V, 50/60Hz, 1 Phase+N+E, 3.1kW, 12.9A 13A cordset supplied	4 x 1/1 GN tray capacity 80mm Tray spacing Digital display time and temperature controls Grill mode 4 Oven wire racks supplied Single directional low-velocity fan Double Stacking Kit DSK272831C	3.1	£2,150.00
			£480.00

E311GAST tray 1/1GN 20mm deep £26.00



SK2731N STAND £450.00
Stainless steel stand with castors
Suits 600mm x 400mm trays and 1/1 GN pans
W 610mm x D 530mm x H 880mm



SK2731U STAND £485.00
Stainless steel stand with castors
Suits 660mm x 460mm pans
W 610mm x D 530mm x H 880mm



E32D4 | DIGITAL ELECTRIC CONVECTION OVEN

Rack capacity: 4 735mm x 810mm x 730mm Electrical requirements: 230-240V, 50/60Hz, 1 Phase+N+E, 6.5kW, 27A No cordset supplied	4 x 460mm x 660mm full size sheet pan capacity 6.5 4 x 600mm x 400mm tray capacity 110mm Tray spacing Compact 735mm width 4 Oven wire racks supplied High performance bi-directional reversing fan system Double Stacking Kit DSKE32C		£3,780.00
			£615.00

E32UST tray 460x660mm £22.00



SK32 STAND £485.00
Stainless steel stand with castors
W 735mm x D 650mm x H 880mm



G32D4 | DIGITAL GAS CONVECTION OVEN

Rack capacity: 4 735mm x 810mm x 910mm Electrical requirements: 230-240V, 50/60Hz, 1 Phase+N+E, 0.5A 10A cordset fitted	4 x 460mm x 660mm full size sheet pan capacity 1 phase 4 x 600mm x 400mm tray capacity 110mm Tray spacing Compact 735mm width 4 Oven wire racks supplied Bi-directional fan motor Double Stacking Kit DSKG32C		£4,495.00
			£525.00

E32UST tray 460x660mm £22



SK32 STAND £485.00
Stainless steel stand with castors
W 735mm x D 650mm x H 880mm



Dimensions / Power (w x d x h)	Options	kw	Price (exc. VAT)
E931M ELECTRIC CONVECTION OVEN & 4 ELEMENT COOKTOP			
675mm x 626mm x 800mm Cooktop Single phase 2 x 2kW front and 2 x 1.5kW rear hot plate elements.		7	£2,950.00
Convection Oven Rack capacity: 4 Electrical requirements: 230-240V, 50/60Hz, 1 Phase+N+E, 3.1kW, 12.9A 13A cordset supplied	4 x 1/1 GN tray capacity 80mm Tray spacing Digital display time and temperature controls Grill mode 4 Oven wire racks supplied Single directional low-velocity fan * Two separate electrical supplies	3.1	



E35 MANUAL ELECTRIC CONVECTION OVEN			
Rack capacity: 6 880mm x 980mm x 804mm Electrical requirements: 400-415V, 50/60Hz, 3 Phase+N+E, 17A, 5 WIRE	6 Tray capacity Double Stack Kit 760mm Racks supplied 6 x 460 x 760mm Double Stack Kit 660mm Racks supplied 6 x 460 x 660mm	12.0 (57amp)	£6,085.00
			£610.00
			£610.00

E35GBT tray 460x760mm £32.00

BS35E STAND £685.00
Stainless steel stand with adjustable feet
W 880mm x D 786mm x H 896mm



E85/8 PROVER			
Rack capacity (E85/8): 8 1760mm x 1760mm x 1706mm Electrical requirements: 220-240V, 50/60Hz, 1 Phase+N+E, 7.2A	8 Tray capacity Full view door Dual prove/holding functions Variable heat control Variable humidity control Low velocity fan	1.65	£2,465.00
	Stacking Kit		£125.00

* Shown with E35 - Sold separately



E85/12 PROVER			
Rack capacity 12 1760mm x 1760mm x 1949mm Electrical requirements: 220-240V, 50/60Hz, 1 Phase+N+E, 7.2A	12 Tray capacity Full view door Dual prove/holding functions Variable heat control Variable humidity control Low velocity fan	1.65	£2,635.00
	Stacking Kit		£125.00