

Distributed By JustCatering.Com Ltd

10 Jessop Av, Norwood Green, Middlesex, UB2 5UY, UK

Tel: +44 (0) 845 0034271 Direct line +44 (0) 7006342365

Email sales@justcatering.com Web site www.justcatering.com

## Tropic Heated Merchandisers



The Tropic range of heated merchandisers provide the ideal storage conditions for food as recommended by the Department of Health for the safe display of hot food prior to sale.

Available in three size options and manufactured from

stainless steel Tropic merchandisers are ideal for the display of a wide range of pies, pasties, sausage rolls, individual pizzas and croissants etc.


Tropic Merchandisers are also available as an ambient display. Model numbers prefixed TAM.

Features	Benefits
1. Three adjustable wire shelves	1. Operational flexibility
2. 13 amp supply	2. Ease of installation
3. Illuminated interior	3. Improved presentation
4. Humidified display - Heated models only	4. Prevents drying of food
5. Simmerstat control - Heated models only	5. Offers range of holding temperatures
6. Seamless steel framework	6. Food safe, no rusting or discoloration
7. Non slip rubber feet	7. Stability of display
8. 12 months warranty	8. Peace of mind
9. Fully insulated	9. Saves energy and running costs
10. Two rear sliding glass doors and solid front glass	10. Easy access and visibility

We have a policy of continuous improvement in manufacture and reserve the right to alter specification without prior notice.

Specification (MM)							
Model	A	B	C	D	VOLTS	WATTS	SUPPLY
TAM 052	500	500	400	300	220/240	40	13-AMP
TAM 072	750	500	400	300	220/240	40	13-AMP
TAM 102	1000	500	400	300	220/240	40	13-AMP
THM 052	500	500	400	300	220/240	540	13-AMP
THM 072	750	500	400	300	220/240	690	13-AMP
THM 102	1000	500	400	300	220/240	790	13-AMP

© S.C.L.



# Polar Refrigerated Merchandisers



PTR071 Top mounted refrigeration



PUR071 Under counter refrigeration

Our range of Polar merchandisers has been developed to provide the ideal storage conditions for food as recommended by the Department of Health for the safe display of food prior to sale. All polar merchandisers are factory set to operate at between 3°C-5°C and can easily be adjusted to operate above this temperature if required.


Polar PTR merchandisers can be manufactured without a base enabling them to be sited over your own dole wall. If required we can fabricate infill panels to your own design - a simple sketch is all we require.

Our PTR models are manufactured with 304 grade stainless steel refrigeration covers as standard but we are also able to offer a wide range of colour options upon request.


Features	Benefits
1. Blown air refrigeration	1. Ensures even temperature throughout display
2. Automatic defrost and evaporation of defrost water	2. Merchandiser can operate continually if required - no need to empty defrost water
3. Double glazed fixed panels (with 12mm air gap)	3. Saves power
4. Easy access to motor unit	4. Reduces service time and associated costs
5. Ozone friendly R134A refrigerant gas and insulation	5. No environmental pollution
6. Microprocessor controlled incorporating LED temperature read out	6. Accurate control of merchandiser temperature
7. 12 months warranty	7. Piece of mind
8. Illuminated interior	8. Improved presentation
9. Self service or Back service options - self service - flaps at front doors at rear - back service - glass at front doors at rear	9. Operational flexibility
10. Manufactured from 304 grade stainless steel	10. Food safe, no rusting or discoloration
11. 3°C to 5°C operating temperature - adjustable	11. Maintains food at your required temperature

Specification (MM)														VOLT	WATTS	SUPPLY		
Model	A	B	C	D	E	F	G	H	I	J	K	L	M				N	
PTR-071	560	750	850	250	200	180	180	-	-	-	-	-	-	-	-	220/240	525	13-AMP
PTR-072	560	750	850	250	200	180	180	-	-	-	-	-	-	-	-	220/240	525	13-AMP
PTR-101	560	1000	850	250	200	180	180	-	-	-	-	-	-	-	-	220/240	525	13-AMP
PTR-102	560	1000	850	250	200	180	180	-	-	-	-	-	-	-	-	220/240	525	13-AMP
PTR-121	560	1250	850	250	200	180	180	-	-	-	-	-	-	-	-	220/240	525	13-AMP
PTR-122	560	1250	850	250	200	180	180	-	-	-	-	-	-	-	-	220/240	525	13-AMP
PTR-151	560	1500	850	250	200	180	180	-	-	-	-	-	-	-	-	220/240	525	13-AMP
PTR-152	560	1500	850	250	200	180	180	-	-	-	-	-	-	-	-	220/240	525	13-AMP
PUR-071	560	750	600	-	200	180	180	230	550	450	575	475	80	70	220/240	525	13-AMP	
PUR-072	560	750	600	-	200	180	180	230	550	450	575	475	80	70	220/240	525	13-AMP	
PUR-101	560	1000	600	-	200	180	180	230	550	450	575	475	208	195	220/240	525	13-AMP	
PUR-102	560	1000	600	-	200	180	180	230	550	450	575	475	205	195	220/240	525	13-AMP	

MODELS SHOWN SUPPLIED WITH A 1 PHASE, 50/60 HZ SUPPLY. MODEL SHOWN SUPPLIED WITH A 3 PHASE, 50/60 HZ SUPPLY. MODEL SHOWN SUPPLIED WITH A 2 PHASE, 50/60 HZ SUPPLY. MODEL SHOWN SUPPLIED WITH A 1 PHASE, 50/60 HZ SUPPLY. MODEL SHOWN SUPPLIED WITH A 3 PHASE, 50/60 HZ SUPPLY. MODEL SHOWN SUPPLIED WITH A 2 PHASE, 50/60 HZ SUPPLY. MODEL SHOWN SUPPLIED WITH A 1 PHASE, 50/60 HZ SUPPLY. MODEL SHOWN SUPPLIED WITH A 3 PHASE, 50/60 HZ SUPPLY. MODEL SHOWN SUPPLIED WITH A 2 PHASE, 50/60 HZ SUPPLY. MODEL SHOWN SUPPLIED WITH A 1 PHASE, 50/60 HZ SUPPLY.



PTR Models Top mounted refrigeration



PUR Models Under counter refrigeration



Cut Out for PUR models

## **POLAR REFRIGERATED MERCHANDISER**



*The Polar range of refrigerated merchandisers provide the ideal storage conditions for food as recommended by the Department of Health for the safe display of food prior to sale.*

### Features

- |  |
|--|
| <i>1. Gantry storage rack</i>                        |
| <i>2. Automatic defrost and water evaporation</i>    |
| <i>3. Illuminated interior</i>                       |
| <i>4. Forced air refrigeration</i>                   |
| <i>5. Microprocessor controlled temperature</i>      |
| <i>6. 3 degree to 5 degree operating temperature</i> |
| <i>7. Ozone friendly refrigerant</i>                 |
| <i>8. 304 grade stainless steel framework</i>        |
| <i>9. 12 months warranty</i>                         |

### Benefits

- |  |
|--|
| <i>1. Operational flexibility</i>                          |
| <i>2. No need to remove defrost water</i>                  |
| <i>3. Improved presentation</i>                            |
| <i>4. Ensures even temperature throughout display</i>      |
| <i>5. Offers range of holding temperatures</i>             |
| <i>6. Conforms to Department of Health guidelines</i>      |
| <i>7. No environmental pollution</i>                       |
| <i>8. Food safe, no rusting or discoloration</i>           |
| <i>9. Backlit front panel for advertising company logo</i> |

<u>MODEL</u>	<u>WIDTH</u>	<u>DEPTH</u>	<u>HEIGHT</u>	<u>VOLTS</u>	<u>WATTS</u>	<u>SUPPLY</u>
<i>PRMCD-750</i>	<i>745 mm</i>	<i>780 mm</i>	<i>575 mm</i>	<i>220 /240</i>	<i>600</i>	<i>13 - AMP</i>
<i>PRMCD-1115</i>	<i>1090mm</i>	<i>780 mm</i>	<i>575 mm</i>	<i>220 /240</i>	<i>600</i>	<i>13 - AMP</i>

## **POLAR REFRIGERATED MERCHANDISER**



*The Polar range of refrigerated merchandisers provide the ideal storage conditions for food as recommended by the Department of Health for the safe display of food prior to sale.*

### Features

### Benefits

<i>1. Inset Black Dishes to enhance product display</i>
<i>2. Automatic defrost and water evaporation</i>
<i>3. Illuminated interior</i>
<i>4. Forced air refrigeration</i>
<i>5. Microprocessor controlled temperature</i>
<i>6. 3 degree to 5 degree operating temperature</i>
<i>7. Ozone friendly refrigerant</i>
<i>8. 304 grade stainless steel framework</i>
<i>9. 12 months warranty</i>

<i>1. Operational flexibility</i>
<i>2. No need to remove defrost water</i>
<i>3. Improved presentation</i>
<i>4. Ensures even temperature throughout display</i>
<i>5. Offers range of holding temperatures</i>
<i>6. Conforms to Department of Health guidelines</i>
<i>7. No environmental pollution</i>
<i>8. Food safe, no rusting or discoloration</i>
<i>9. Backlit front panel for advertising company logo</i>

<u>MODEL</u>	<u>WIDTH</u>	<u>DEPTH</u>	<u>HEIGHT</u>	<u>VOLTS</u>	<u>WATTS</u>	<u>SUPPLY</u>
PRMCDG-750	745 mm	780 mm	575 mm	220 /240	600	13 - AMP
PRMCDG-1115	1090mm	780 mm	575 mm	220 /240	600	13 - AMP

**POLAR REFRIGERATED MERCHANDISER**  
**OPEN AT THE FRONT FOR SELF SERVICE**



*The Polar range of refrigerated merchandisers provide the ideal storage conditions for food as recommended by the Department of Health for the safe display of food prior to sale.*

**Features**

- |   |
|---|
| <i>1. Two tier racking for optimum display of product</i> |
| <i>2. Open fronted for self service</i>                   |
| <i>3. 13-Amp supply</i>                                   |
| <i>4. Forced air refrigeration</i>                        |
| <i>5. Microprocessor controlled temperature</i>           |
| <i>6. 3 degree to 5 degree operating temperature</i>      |
| <i>7. Ozone friendly refrigerant</i>                      |
| <i>8. 304 grade stainless steel framework</i>             |
| <i>9. 12 months warranty</i>                              |

**Benefits**

- |  |
|--|
| <i>1. Operational flexibility</i>                          |
| <i>2. No need to remove defrost water</i>                  |
| <i>3. Improved presentation</i>                            |
| <i>4. Ensures even temperature throughout display</i>      |
| <i>5. Ideal for grab and go products</i>                   |
| <i>6. Conforms to Department of Health guidelines</i>      |
| <i>7. No environmental pollution</i>                       |
| <i>8. Food safe, no rusting or discoloration</i>           |
| <i>9. Backlit front panel for advertising company logo</i> |

<i>MODEL</i>	<i>WIDTH</i>	<i>DEPTH</i>	<i>HEIGHT</i>	<i>VOLTS</i>	<i>WATTS</i>	<i>SUPPLY</i>
<i>PRMCDSS-1115</i>	<i>1090 mm</i>	<i>780 mm</i>	<i>575 mm</i>	<i>220 /240</i>	<i>1300</i>	<i>13 - AMP</i>

## **POLAR MULTI-PURPOSE** **MULTI-DECK**



- *Our polar refrigerated multi-deck is manufactured from 304-grade bright-annealed*
- *stainless steel to provide the best possible presentation of your merchandise.*
- *The five fully adjustable stainless steel shelves provide versatility and flexibility enabling you to maximise your display.*
- *A night screen is available as an optional extra to help conserve power during periods when the unit is not required for display.*
- *Internal condensing unit as standard.*
- *The refrigeration system runs on ozone friendly R404a refrigerant gas.*
- *Factory set to run between +3c and +5c these settings may be changed to suit your own personal requirements.*
- *Microprocessor controlled incorporating LED temperature readout.*
- *A forced air-cooling system.*
- *Internal evaporation of defrost water.*
- *Twelve months parts and labour warranty.*

<u>MODEL</u>	<u>WIDTH</u>	<u>DEPTH</u>	<u>HEIGHT</u>	<u>VOLTS</u>	<u>WATTS</u>	<u>SUPPLY</u>
<i>PRMS-700</i>	<i>670 mm</i>	<i>525 mm</i>	<i>2050 mm</i>	<i>220 /240</i>	<i>1750</i>	<i>13 - AMP</i>

## **POLAR MULTI-PURPOSE MULTI-DECK**



- *Our polar refrigerated multi-deck is manufactured from 304-grade bright-annealed stainless steel to provide the best possible presentation of your merchandise.*
- *The four fully adjustable stainless steel shelves provide versatility and flexibility enabling you to maximise your display.*
- *A night screen is available as an optional extra to help conserve power during periods when the unit is not required for display.*
- *This unit is designed to fit through a standard height doorway*
- *Internal condensing unit as standard.*
- *The refrigeration system runs on ozone friendly R134a refrigerant gas.*
- *Factory set to run between +3c and +5c these settings may be changed to suit your own personal requirements.*
- *Microprocessor controlled incorporating LED temperature readout.*
- *A forced air-cooling system and Internal evaporation of defrost water.*
- *Castors fitted for ease of mobility*
- *Twelve months parts and labour warranty.*

<u>MODEL</u>	<u>WIDTH</u>	<u>DEPTH</u>	<u>HEIGHT</u>	<u>VOLTS</u>	<u>WATTS</u>	<u>SUPPLY</u>
<i>PRMC-1000</i>	<i>1000 mm</i>	<i>600 mm</i>	<i>1795 mm</i>	<i>220 /230</i>	<i>1700</i>	<i>13 – AMP</i>
<i>PRMC-1200</i>	<i>1200 mm</i>	<i>600 mm</i>	<i>1795 mm</i>	<i>220 /230</i>	<i>1700</i>	<i>13 – AMP</i>
<i>PRMC-1500</i>	<i>1500 mm</i>	<i>600 mm</i>	<i>1795 mm</i>	<i>220 /230</i>	<i>1800</i>	<i>13 – AMP</i>
<i>PRMC-2000</i>	<i>2000 mm</i>	<i>600 mm</i>	<i>1795 mm</i>	<i>220 /230</i>	<i>1800</i>	<i>13 - AMP</i>

## **POLAR MULTI-PURPOSE** **MULTI-DECK**



- *Our polar refrigerated multi-deck is manufactured from 304-grade bright-annealed stainless steel to provide the best possible presentation of your merchandise.*
- *The five fully adjustable stainless steel shelves provide versatility and flexibility enabling you to maximise your display.*
- *A night screen is available as an optional extra to help conserve power during periods when the unit is not required for display.*
- *Internal condensing unit as standard.*
- *The refrigeration system runs on ozone friendly R134a refrigerant gas.*
- *Factory set to run between +3c and +5c these settings may be changed to suit your own personal requirements.*
- *Microprocessor controlled incorporating LED temperature readout.*
- *A forced air-cooling system.*
- *Castors fitted for ease of mobility*
- *Internal evaporation of defrost water.*
- *Twelve months parts and labour warranty.*

<i>MODEL</i>	<i>WIDTH</i>	<i>DEPTH</i>	<i>HEIGHT</i>	<i>VOLTS</i>	<i>WATTS</i>	<i>SUPPLY</i>
<i>PRM-1000</i>	<i>1000 mm</i>	<i>820 mm</i>	<i>2085 mm</i>	<i>220 /230</i>	<i>1700</i>	<i>13 – AMP</i>
<i>PRM-1200</i>	<i>1200 mm</i>	<i>820 mm</i>	<i>2085 mm</i>	<i>220 /230</i>	<i>1700</i>	<i>13 – AMP</i>
<i>PRM-1500</i>	<i>1500 mm</i>	<i>820 mm</i>	<i>2085 mm</i>	<i>220 /230</i>	<i>1800</i>	<i>13 – AMP</i>
<i>PRM-2000</i>	<i>2000 mm</i>	<i>820 mm</i>	<i>2085 mm</i>	<i>220 /230</i>	<i>1800</i>	<i>13 - AMP</i>

## **POLAR MULTI-PURPOSE DROP-IN UNIT**



- *Our polar refrigerated Drop-in unit is manufactured from 304-grade bright-annealed stainless steel to provide the best possible presentation of your merchandise.*
- *The Three stainless steel shelves provide versatility and flexibility enabling you to maximise your display.*
- *The unit has double glazed rear doors for ease of loading products*
- *Toughened curved glass front for presentation of the products*
- *Internal condensing unit as standard.*
- *The refrigeration system runs on ozone friendly R404a refrigerant gas.*
- *Factory set to run between +3c and +5c these settings may be changed to suit your own personal requirements.*
- *Microprocessor controlled incorporating LED temperature readout.*
- *A forced air-cooling system.*
- *Separate stainless steel base unit available on request*
- *Internal evaporation of defrost water.*
- *Twelve months parts and labour warranty.*

<u>MODEL</u>	<u>WIDTH</u>	<u>DEPTH</u>	<u>HEIGHT</u>	<u>VOLTS</u>	<u>WATTS</u>	<u>SUPPLY</u>
<b>PRMCC-1000</b>	<b>1000 mm</b>	<b>750 mm</b>	<b>980 mm</b>	<b>220 /230</b>	<b>2200</b>	<b>13 – AMP</b>
<b>DROP-IN SECTION</b>	<b>640MM</b>	<b>450MM</b>				

## **POLAR MULTI-PURPOSE DROP-IN UNIT**



- *Our polar refrigerated Drop-in unit is manufactured from 304-grade bright-annealed st. steel to provide the best possible presentation of your merchandise.*
- *The Two stainless steel shelves provide versatility and flexibility enabling you to maximise your display.*
- *The unit has 100mm deep cold well and a Internal condensing unit as standard*
- *The refrigeration system runs on ozone friendly R134a refrigerant gas.*
- *Factory set to run between +3c and +5c these settings may be changed to suit your own personal requirements.*
- *Microprocessor controlled incorporating LED temperature readout.*
- *A forced air-cooling system and internal evaporation of defrost water*
- *Separate stainless steel base unit available on request*
- *Other finishes/materials available*
- *Twelve months parts and labour warranty.*

<u>MODEL</u>	<u>WIDTH</u>	<u>DEPTH</u>	<u>HEIGHT</u>	<u>VOLTS</u>	<u>WATTS</u>	<u>SUPPLY</u>
<i>PRMU-750</i>	<i>750 mm</i>	<i>625 mm</i>	<i>830 mm</i>	<i>220 /230</i>	<i>1560</i>	<i>13 – AMP</i>
<i>PRMU-1000</i>	<i>1000mm</i>	<i>625 mm</i>	<i>830 mm</i>	<i>220 / 230</i>	<i>1560</i>	<i>13 – AMP</i>
<i>PRMU-1200</i>	<i>1200mm</i>	<i>625 mm</i>	<i>830 mm</i>	<i>220 / 230</i>	<i>2010</i>	<i>13 – AMP</i>
<i>PRMU-1500</i>	<i>1500mm</i>	<i>625 mm</i>	<i>830 mm</i>	<i>220 / 230</i>	<i>2010</i>	<i>13 – AMP</i>
<i>PRMU-2000</i>	<i>2000mm</i>	<i>625 mm</i>	<i>830mm</i>	<i>220 / 230</i>	<i>2750</i>	<i>13 – AMP</i>
<i>DROP-IN 750</i>	<i>705MM</i>	<i>555MM</i>	<i>1552MM</i>	<i>N/A</i>	<i>N/A</i>	<i>N/A</i>
<i>DROP-IN 1000</i>	<i>955MM</i>	<i>555MM</i>	<i>1552MM</i>	<i>N/A</i>	<i>N/A</i>	<i>N/A</i>
<i>DROP-IN 1200</i>	<i>1155MM</i>	<i>555MM</i>	<i>1552MM</i>	<i>N/A</i>	<i>N/A</i>	<i>N/A</i>
<i>DROP-IN 1500</i>	<i>1455MM</i>	<i>555MM</i>	<i>1552MM</i>	<i>N/A</i>	<i>N/A</i>	<i>N/A</i>
<i>DROP-IN 2000</i>	<i>1955MM</i>	<i>555MM</i>	<i>1552MM</i>	<i>N/A</i>	<i>N/A</i>	<i>N/A</i>

## AMBIENT MERCHANDISER



The range of ambient merchandisers provide the ideal storage conditions for food as recommended by the Department of Health for the safe display of food prior to sale.

### Features

- |   |
|---|
| <b>1. Gantry storage rack</b>                 |
| <b>2. Illuminated interior</b>                |
| <b>3. 304 grade stainless steel framework</b> |
| <b>4. 12 months warranty</b>                  |

### Benefits

- |  |
|--|
| <b>1. Operational flexibility</b>                          |
| <b>2. Improved presentation</b>                            |
| <b>3. Conforms to Department of Health guidelines</b>      |
| <b>4. Food safe, no rusting or discoloration</b>           |
| <b>5. Backlit front panel for advertising company logo</b> |

MODEL	WIDTH	DEPTH	HEIGHT	VOLTS	WATTS	SUPPLY
TAMCD-750	745 mm	780 mm	575 mm	220 /240	36	13 - AMP
TAMCD-1115	1090mm	780 mm	575 mm	220 /240	60	13 - AMP

We have a policy of continuous improvement in manufacture and reserve the right to alter specification without prior notice

## **TROPIC HEATED MERCHANDISER WITH BACKLIT LIGHTBOX**



*Tropic range of heated merchandisers provide the ideal storage conditions for food as recommended by the Department of Health for the safe display of hot food prior to sale.*

*Available in three size options and manufactured from 304 grade stainless steel Tropic merchandisers are ideal for the display of a wide range of pies, pasties, sausage rolls, bagels, individual pizzas and croissants etc.*

### Features

<i>1. Three adjustable wire shelves</i>
<i>2. 13 - amp supply</i>
<i>3. Illuminated interior</i>
<i>4. Backlit light-box for branding or logo</i>
<i>5. Humidified display</i>
<i>6. Simmerstat control</i>
<i>7. 304 grade stainless steel framework</i>
<i>8. Two sliding doors and solid glass front</i>
<i>9. Fully insulated</i>
<i>10. 12 months warranty</i>

### Benefits

<i>1. Operational flexibility</i>
<i>2. Ease of installation</i>
<i>3. Improved presentation</i>
<i>4. Prevents drying of food</i>
<i>5. Offers range of holding temperatures</i>
<i>6. Food safe, no rusting or discoloration</i>
<i>7. Stability of display</i>
<i>8. Piece of mind</i>
<i>9. Saves energy and running costs</i>
<i>10. Easy access and visibility</i>

<u>MODEL</u>	<u>WIDTH</u>	<u>DEPTH</u>	<u>HEIGHT</u>	<u>VOLTS</u>	<u>WATTS</u>	<u>SUPPLY</u>
THML-500	500MM	400MM	625MM	220/240	560	13 - AMP
THML-750	750MM	400MM	625MM	220/240	710	13 - AMP
THML-1000	1000MM	400MM	625MM	220/240	810	13 - AMP

## **THE BUDGET RANGE OF TROPIC HEATED MERCHANDISERS**



*Tropic range of heated merchandisers provide the ideal storage conditions for food as recommended by the Department of Health for the safe display of hot food prior to sale.*

*Manufactured from 430 grade stainless steel Tropic merchandisers are ideal for the display of a wide range of pies, pasties, sausage rolls, bagels, individual pizzas and croissants etc.*

### Features

<i>1. Three/Four tier storage rack</i>
<i>2. 13 - amp supply</i>
<i>3. Illuminated interior</i>
<i>4. Humidified display</i>
<i>5. Simmerstat control</i>
<i>6. 430 grade stainless steel mirror finish</i>
<i>7. 12 months warranty</i>

### Benefits

<i>1. Operational flexibility</i>
<i>2. Ease of installation</i>
<i>3. Improved presentation</i>
<i>4. Prevents drying of food</i>
<i>5. Offers range of holding temperatures</i>
<i>6. Food safe, no rusting or discoloration</i>
<i>7. Peace of mind</i>

<u>MODEL</u>	<u>WIDTH</u>	<u>DEPTH</u>	<u>HEIGHT</u>	<u>VOLTS</u>	<u>WATTS</u>	<u>SUPPLY</u>
<i>THMB3-750</i>	<i>750 mm</i>	<i>360 mm</i>	<i>450 mm</i>	<i>220 /240</i>	<i>765</i>	<i>13 - AMP</i>
<i>THMB4-750</i>	<i>750 mm</i>	<i>360 mm</i>	<i>560 mm</i>	<i>220 /240</i>	<i>765</i>	<i>13 - AMP</i>

**TROPIC HEATED MERCHANDISER SELF SERVICE WITH HINGED DOORS TO FRONT**  
**MIRROR FINISH STAINLESS STEEL**



*Tropic range of heated merchandisers provide the ideal storage conditions for food as recommended by the Department of Health for the safe display of hot food prior to sale.*

*Manufactured from 304 grade stainless steel Tropic merchandisers are ideal for the display of a wide range of pies, pasties, sausage rolls, bagels, individual pizzas and croissants etc.*

**Features**

- |   |
|---|
| <i>1. Three Tilted shelves to enhance product display</i> |
| <i>2. 13 - amp supply</i>                                 |
| <i>3. Illuminated interior</i>                            |
| <i>4. Two glass front doors for self service</i>          |
| <i>5. Thermostat control</i>                              |
| <i>6. 304 grade bright annealed stainless steel</i>       |
| <i>7. 12 months warranty</i>                              |

**Benefits**

- |  |
|--|
| <i>1. Operational flexibility</i>                |
| <i>2. Ease of installation</i>                   |
| <i>3. Improved presentation</i>                  |
| <i>4. Offers range of holding temperatures</i>   |
| <i>5. Food safe, no rusting or discoloration</i> |
| <i>6. Peace of mind</i>                          |

<i>MODEL</i>	<i>WIDTH</i>	<i>DEPTH</i>	<i>HEIGHT</i>	<i>VOLTS</i>	<i>WATTS</i>	<i>SUPPLY</i>
<i>THMSS-500</i>	<i>500 mm</i>	<i>500 mm</i>	<i>745 mm</i>	<i>220 /240</i>	<i>1550</i>	<i>13 - AMP</i>

## **TROPIC HEATED MERCHANDISER WITH ROTATING DISPLAY RACK**



*Tropic range of heated merchandisers provide the ideal storage conditions for food as recommended by the Department of Health for the safe display of hot food prior to sale.*

*Manufactured from 304 grade stainless steel Tropic merchandisers are ideal for the display of a wide range of pies, pasties, sausage rolls, bagels, individual pizzas and croissants etc.*

### **Features**

<i>1. Four tier 300mm / 12 inch rotating rack</i>
<i>2. 13 - amp supply</i>
<i>3. Illuminated interior</i>
<i>4. Humidified display</i>
<i>5. Simmerstat control</i>
<i>6. 304 grade stainless steel framework</i>
<i>7. 12 months warranty</i>

### **Benefits**

<i>1. Eye catching presentation</i>
<i>2. Ease of installation</i>
<i>3. Prevents drying of food</i>
<i>4. Offers range of holding temperatures</i>
<i>5. Food safe, no rusting or discoloration</i>
<i>6. Peace of mind</i>

<u><b>MODEL</b></u>	<u><b>WIDTH</b></u>	<u><b>DEPTH</b></u>	<u><b>HEIGHT</b></u>	<u><b>VOLTS</b></u>	<u><b>WATTS</b></u>	<u><b>SUPPLY</b></u>
<b>THMP-500</b>	<b>500 mm</b>	<b>500 mm</b>	<b>840 mm</b>	<b>220 /240</b>	<b>1000</b>	<b>13 - AMP</b>

## **TROPIC HEATED MERCHANDISER**



*Tropic range of heated merchandisers provide the ideal storage conditions for food as recommended by the Department of Health for the safe display of hot food prior to sale.*

*Manufactured from 304 grade stainless steel Tropic merchandisers are ideal for the display of a wide range of pies, pasties, sausage rolls, bagels, individual pizzas and croissants etc.*

### Features

<i>1. Four tier storage rack</i>
<i>2. 13 - amp supply</i>
<i>3. Illuminated interior</i>
<i>4. Humidified display</i>
<i>5. Simmerstat control</i>
<i>6. 304 grade stainless steel framework</i>
<i>7. 12 months warranty</i>

### Benefits

<i>1. Operational flexibility</i>
<i>2. Ease of installation</i>
<i>3. Improved presentation</i>
<i>4. Prevents drying of food</i>
<i>5. Offers range of holding temperatures</i>
<i>6. Food safe, no rusting or discoloration</i>
<i>7. Peace of mind</i>

<u>MODEL</u>	<u>WIDTH</u>	<u>DEPTH</u>	<u>HEIGHT</u>	<u>VOLTS</u>	<u>WATTS</u>	<u>SUPPLY</u>
<i>THMF-500</i>	<i>500 mm</i>	<i>500 mm</i>	<i>745 mm</i>	<i>220 /240</i>	<i>1000</i>	<i>13 - AMP</i>
<i>THMF-900</i>	<i>900 mm</i>	<i>500 mm</i>	<i>745 mm</i>	<i>220 /240</i>	<i>1500</i>	<i>13 - AMP</i>

## **TROPIC HEATED MERCHANDISER**



*Tropic range of heated merchandisers provide the ideal storage conditions for food as recommended by the Department of Health for the safe display of hot food prior to sale.*

*Manufactured from 304 grade stainless steel Tropic merchandisers are ideal for the display of a wide range of pies, pasties, sausage rolls, bagels, individual pizzas and croissants etc.*

### Features

### Benefits

<i>1. Three storage levels</i>
<i>2. 13 - amp supply</i>
<i>3. Illuminated interior</i>
<i>4. Humidified display</i>
<i>5. Thermostat control</i>
<i>6. 304 grade stainless steel framework</i>
<i>7. 12 months warranty</i>

<i>1. Operational flexibility</i>
<i>2. Ease of installation</i>
<i>3. Improved presentation</i>
<i>4. Prevents drying of food</i>
<i>5. Offers range of holding temperatures</i>
<i>6. Food safe, no rusting or discoloration</i>
<i>7. Peace of mind</i>

<u>MODEL</u>	<u>WIDTH</u>	<u>DEPTH</u>	<u>HEIGHT</u>	<u>VOLTS</u>	<u>WATTS</u>	<u>SUPPLY</u>
<i>THMFF-750</i>	<i>760 mm</i>	<i>520 mm</i>	<i>600 mm</i>	<i>220 /240</i>	<i>1300</i>	<i>13 - AMP</i>
<i>THMFF -1115</i>	<i>1115 mm</i>	<i>520 mm</i>	<i>600 mm</i>	<i>220 /240</i>	<i>1300</i>	<i>13 - AMP</i>

## **TROPIC HEATED MERCHANDISER**



*Tropic range of heated merchandisers provide the ideal storage conditions for food as recommended by the Department of Health for the safe display of hot food prior to sale. Manufactured from 304 grade stainless steel Tropic merchandisers are ideal for the display of a wide range of pies, pasties, sausage rolls, bagels, individual pizzas and croissants etc.*

### Features

### Benefits

<i>1. Three storage levels</i>
<i>2. 13 - amp supply</i>
<i>3. Illuminated interior</i>
<i>4. Humidified display</i>
<i>5. Simmerstat control</i>
<i>6. 304 grade stainless steel framework</i>
<i>7. 12 months warranty</i>

<i>1. Operational flexibility</i>
<i>2. Ease of installation</i>
<i>3. Improved presentation</i>
<i>4. Prevents drying of food</i>
<i>5. Offers range of holding temperatures</i>
<i>6. Food safe, no rusting or discoloration</i>
<i>7. Peace of mind</i>

<u>MODEL</u>	<u>WIDTH</u>	<u>DEPTH</u>	<u>HEIGHT</u>	<u>VOLTS</u>	<u>WATTS</u>	<u>SUPPLY</u>
THMCF-750	745 mm	630 mm	600 mm	220 /240	1300	13 - AMP
THMCF-1115	1090 mm	630 mm	600 mm	220 /240	1300	13 - AMP

## **TROPIC HEATED MERCHANDISER**



*Tropic range of heated merchandisers provide the ideal storage conditions for food as recommended by the Department of Health for the safe display of hot food prior to sale.*

*Manufactured from 304 grade stainless steel Tropic merchandisers are ideal for the display of a wide range of chicken, pies, pasties, sausage rolls, individual pizzas and croissants etc.*

### Features

### Benefits

<i>1. Gantry storage rack &amp; optional flatbed trays</i>
<i>2. 13 - amp supply</i>
<i>3. Illuminated interior</i>
<i>4. Fan assisted humidified display</i>
<i>5. Thermostat control</i>
<i>6. 304 grade stainless steel framework</i>
<i>7. 12 months warranty</i>

<i>1. Operational flexibility</i>
<i>2. Ease of installation</i>
<i>3. Improved presentation</i>
<i>4. Prevents drying of food</i>
<i>5. Offers range of holding temperatures</i>
<i>6. Food safe, no rusting or discoloration</i>
<i>7. Backlit front panel for advertising company logo</i>

<u>MODEL</u>	<u>WIDTH</u>	<u>DEPTH</u>	<u>HEIGHT</u>	<u>VOLTS</u>	<u>WATTS</u>	<u>SUPPLY</u>
THMCD 750	745 mm	780 mm	575 mm	220 /240	2786	13 - AMP
THMCD 1115	1090 mm	780 mm	575 mm	220 /240	2810	13 - AMP

## **TROPIC HEATED MERCHANDISER WITH CLEAR ACRYLIC FLAPS FOR SELF SERVICE**



*Tropic range of heated merchandisers provide the ideal storage conditions for food as recommended by the Department of Health for the safe display of hot food prior to sale.*

*Manufactured from 304 grade stainless steel Tropic merchandisers are ideal for the display of a wide range of chicken, pies, pasties, sausage rolls, individual pizzas and croissants etc.*

### Features

<i>1. Gantry storage rack &amp; optional flatbed trays</i>
<i>2. Clear acrylic flaps fitted to front</i>
<i>3. Illuminated interior</i>
<i>4. Fan assisted humidified display</i>
<i>5. Thermostat control</i>
<i>6. 304 grade stainless steel framework</i>
<i>7. 12 months warranty</i>
<i>8. 13 - amp supply</i>

### Benefits

<i>1. Operational flexibility</i>
<i>2. Self service for grab and go products</i>
<i>3. Improved presentation</i>
<i>4. Prevents drying of food</i>
<i>5. Offers range of holding temperatures</i>
<i>6. Food safe, no rusting or discoloration</i>
<i>7. Backlit front panel for advertising company logo</i>
<i>8. Ease of installation</i>

<u>MODEL</u>	<u>WIDTH</u>	<u>DEPTH</u>	<u>HEIGHT</u>	<u>VOLTS</u>	<u>WATTS</u>	<u>SUPPLY</u>
THMCDF 750	745 mm	780 mm	575 mm	220 /240	2786	13 - AMP
THMCDF 1115	1090 mm	780 mm	575 mm	220 /240	2810	13 - AMP

**TROPIC HEATED MERCHANDISER**  
**OPEN AT THE FRONT FOR SELF SERVICE**



*Tropic range of heated merchandisers provide the ideal storage conditions for food as recommended by the Department of Health for the safe display of hot food prior to sale.*

*Manufactured from 304 grade stainless steel Tropic merchandisers are ideal for the display of a wide range of chicken, pies, pasties, sausage rolls, individual pizzas and croissants etc.*

**Features**

- |   |
|---|
| <i>1. Two tier racking for optimum display of product</i> |
| <i>2. Open fronted for self service</i>                   |
| <i>3. 13- Amp supply</i>                                  |
| <i>4. Regulated Halogen lighting</i>                      |
| <i>5. Simmerstat control</i>                              |
| <i>6. 304 grade stainless steel framework</i>             |
| <i>7. 12 months warranty</i>                              |

**Benefits**

- |  |
|--|
| <i>1. Operational flexibility</i>                          |
| <i>2. Ease of installation</i>                             |
| <i>3. Improved presentation</i>                            |
| <i>4. Ideal for grab and go products</i>                   |
| <i>5. Offers range of holding temperatures</i>             |
| <i>6. Food safe, no rusting or discoloration</i>           |
| <i>7. Backlit front panel for advertising company logo</i> |

<i>MODEL</i>	<i>WIDTH</i>	<i>DEPTH</i>	<i>HEIGHT</i>	<i>VOLTS</i>	<i>WATTS</i>	<i>SUPPLY</i>
<i>THMCDSS-1115</i>	<i>1090 mm</i>	<i>780 mm</i>	<i>575 mm</i>	<i>220 /240</i>	<i>2786</i>	<i>13 - AMP</i>

**TROPIC HEATED MERCHANDISER**  
**BACK SERVICE WITH SOLID GLASS FRONT OR**  
**SELF SERVICE WITH CLEAR FLAPS AT FRONT**



*Tropic range of heated merchandisers provide the ideal storage conditions for food as recommended by the Department of Health for the safe display of hot food prior to sale.*

*Manufactured from 304 grade stainless steel Tropic merchandisers are ideal for the display of a wide range of pies, pasties, sausage rolls, bagels, individual pizzas and croissants etc.*

**Features**

- |  |
|--|
| 1. Three storage levels                |
| 2. 13 - amp supply                     |
| 3. Illuminated shelves                 |
| 4. Humidified display                  |
| 5. Simmerstat control                  |
| 6. 304 grade stainless steel framework |
| 7. 12 months warranty                  |

**Benefits**

- |   |
|---|
| 1. Operational flexibility                |
| 2. Ease of installation                   |
| 3. Improved presentation                  |
| 4. Prevents drying of food                |
| 5. Offers range of holding temperatures   |
| 6. Food safe, no rusting or discoloration |
| 7. Peace of mind                          |

<u>MODEL</u>	<u>WIDTH</u>	<u>DEPTH</u>	<u>HEIGHT</u>	<u>VOLTS</u>	<u>WATTS</u>	<u>SUPPLY</u>
THMCC-600	600 mm	750 mm	1000mm	220 /240	1500	13 - AMP