

JustCatering.Com

Distributed By JustCatering.Com Ltd

10 Jessop Av, Norwood Green, Middlesex, UB2 5UY, UK

Tel: +44 (0) 845 0034271 Direct line +44 (0) 7006342365

Email sales@justcatering.com Web site www.justcatering.com

CATERLUX



The Galaxy Range

www.hfereday.com

KEY TO SYMBOLS

13amp plug



bain marie



plain top



compact cupboard



gantries & shelves



dry heat



keeping hot food hot.....

CATERLUX

INDEX

- 1.0 Introduction
- 2.0 Orion hotcupboards
- 3.0 Apollo hotcupboards
- 4.0 Gemini, Taurus & Jupiter compact hotcupboards
- 5.0 Gantries & optional extras

TRADITION, QUALITY AND CARE

H Fereday & Sons was established in 1862 and is still today owned by the family. Chairman David Fereday is the great grandson of the founder and continues the unique tradition of a family company manufacturing in the UK.

CATERLUX HOTCUPBOARDS AND BAINS MARIE

CATERLUX cupboards provide a multi-various choice from small plate warmers to 1750mm long units. There are two distinct ranges - the heavy duty ATLAS and the medium duty GALAXY range hotcupboards.

Caterlux conforms to the necessary European Directives LVD73/23/EEC, EMC89/336/EEC and the important Gas Directive 90/396/EEC.

Production is quality assured to ISO:9001

THE CATERLUX 'ATLAS' RANGE

These heavy duty cupboards have a complete variety of modules and options which can be 'mixed and matched' to meet the exact requirements of the chef.

There are 4 standard lengths between 760mm and 1750mm with a variety of plain and bain marie tops. There is the option of electric, natural or LP gas heating.

The diverse choice of extra fittings includes doors both sides, tray rails, castors and a comprehensive range of heated gantries and over shelves.

An innovation is the unique three sliding door system which facilitates access to the centre of the cupboard and the loading of wide baking dishes.

THE CATERLUX 'GALAXY' RANGE

This comprises a choice of 11 electrically heated cupboards ranging from the small GEMINI plate warmer to the ORION/APOLLO 1750mm long plain/bain marie cupboards. These can be fitted with all the various heating gantries and over shelves.

The ORION/APOLLO size 2/3 units are available as a DELUXE version in a teak wood grain finish.



GALAXY RANGE

Orion hotcupboards

the simple facts

plain top hotcupboard with sliding doors
available in our four standard width sizes
all are 850mm high and 600mm deep
13amp plug supply fitted
fitted with 2 shelves, one at the base and the other at the centre

13amp plug plain top hotcupboard



technical information

a choice of four quality compact electrically heated cupboards to keep hot food and plates hot.

	orion 2	orion 3	orion 4	orion 5
height (mm)	850	850	850	850
width (mm)	600	600	600	600
length (mm)	760	1090	1420	1750
plated meals	54	72	90	108
shelves	2	2	2	2
power (kw)	1.5	1.5	2.0	2.0

features

strongly built in stainless steel
side panels and doors double skinned to prevent heat loss
doors fitted with robust chromed handles
doors are easily removed for cleaning
removable chromed wire shelves
fitted with 2m cable for 240v supply
heat controlled by thermostat graduated in degrees centigrade
element protected against spilt food

optional extras

heating gantries (see page 5 for details)
serving shelves
sneeze screens
tray rails
castors and push bar
teak wood grain finish (size 2 & 3 only)



orion 2 deluxe
teak wood grain finish

GALAXY RANGE

Orion hotcupboards



orion 3

All basic cupboards in the Galaxy range are generally available from stock and ready for next day delivery.

Call our order hotline to get yours today 0845 0034271



GALAXY RANGE

Apollo hotcupboards

the simple facts

dry heat bain marie hotcupboard
available in our four standard width sizes
all are 850mm high and 600mm deep
13amp plug supply fitted
fitted with 2 shelves, one at the base and the other at the centre

13amp plug bain maire hotcupboard dry heat



technical information

a choice of four quality compact electrically heated cupboards to keep hot food and plates hot.

	apollo 2	apollo 3	apollo 4	apollo 5
height (mm)	850	850	850	850
width (mm)	600	600	600	600
length (mm)	760	1090	1420	1750
plated meals	30	48	66	84
shelves	2	2	2	2
power (kw)	2.4	2.4	3.0	3.0

features

strongly built in stainless steel
side panels and doors insulated to prevent heat loss
doors fitted with robust chromed handles
doors are easily removed for cleaning
removable chromed wire shelves
fitted with 2m cable for 240v supply
heat controlled by thermostat graduated in degrees centigrade
lower element protected against spilt food

optional extras

heating gantries (see page 5 for details)
serving shelves
sneeze screens
tray rails
castors and push bar
choose from full, half and third size containers
teak wood grain finish (size 2 & 3 only)



Apollo 3
with 2 tier gantry

GALAXY RANGE

Apollo hotcupboards



Apollo 3

All basic cupboards in the Galaxy range are generally available from stock and ready for next day delivery.

Call our order hotline to get yours today 0845 0034271



GALAXY RANGE

Gemini, Taurus & Jupiter

the simple facts

compact hotcupboard with hinged doors
Ideal for smaller catering establishments
13amp plug supply fitted

13amp plug hotcupboard



technical information

	gemini	taurus	jupiter
height (mm)	850	850	1250
width (mm)	400	600	600
length (mm)	580	580	380
plated meals	22	44	32
shelves	3	3	4
power (kw)	1.0	1.5	1.0

features

strongly built in stainless steel
fitted with 2m cable for 240v supply
heat controlled by thermostat graduated in degrees centigrade
element protected against spilt food
insulated doors have robust chromed handles and magnetic catches
removable chromed wire shelves
insulated doors

optional extras

castors and push bar



Gemini

hotcupboards



Taurus

+ All basic cupboards in the Galaxy range are generally available from stock and ready for next day delivery.



Jupiter

Call our order hotline to get yours today 0845 0034271

GALAXY RANGE

Gantries & Shelves

the simple facts

- strongly built in stainless steel
- available in our four standard width sizes to compliment cupboards
- 13amp plug supply fitted
- choose either halogen/infra red heat or ambient
- choose from single or two tier versions

13amp plug gantries & shelves



technical information

a choice of four sizes and different configurations are available.

	size 2	size 3	size 4	size 5
width (mm)	760	1090	1420	1750
power (kw)	0.6	0.6	0.9	1.2
lamps	2	2	3	4

halogen heat

gantry with upper shelf



upper shelf & sneeze screen



upper & mid shelf heated by lamps



upper & mid shelf with sneeze screen




2 tier with lamps heating shelf and top



infra red heat

gantry with upper shelf



upper shelf & sneeze screen




upper & mid shelf heated by lamps



upper & mid shelf with sneeze screen



ambient serving shelf



JustCatering.Com

Distributed By JustCatering.Com Ltd

10 Jessop Av, Norwood Green, Middlesex, UB2 5UY, UK

Tel: +44 (0) 845 0034271 Direct line +44 (0) 7006342365

Email sales@justcatering.com Web site www.justcatering.com

CATERLUX



The Atlas Range
heavy duty hotcupboards

www.hfereday.com

KEY TO SYMBOLS

- 13amp plug 
- 30amp supply 
- bain maire 
- plain top 
- part bain maire 
- gantries & shelves 
- dry heat 
- gas heat 
- wet well 



.....keeping hot food hot.....

CATERLUX

INDEX

- 1 Introduction
- 2 ATLAS heavy duty plain top hotcupboards
- 4 ATLAS heavy duty full bains marie
- 6 ATLAS heavy duty part plain/part bains marie
- 8 Bespoke lengths and counter runs
- 8 Technical information
- 9 Gantries & options

TRADITION, QUALITY AND CARE

H Fereday & Sons was established in 1862 and is still today owned by the family. Chairman David Fereday is the great grandson of the founder and continues the caring tradition of a family company manufacturing quality products in the UK.

Our production conforms to the necessary European Directives LVD73/23/EEC, EMC89/336/EEC, the important Gas Directive 90/396/EEC and is controlled to the quality standard ISO9001.

CATERLUX HOTCUPBOARDS AND BAINS MARIE

CATERLUX cupboards provide a multi-various choice from small plate warmers to 2300mm long units. There are two distinct ranges - the heavy duty ATLAS and the medium duty GALAXY range hotcupboards - see separate brochure.

ATLAS heavy duty cupboards have a complete variety of modules and options which can be 'mixed and matched' to meet the exact requirements of the chef.

They are available in any length between 760mm and 2300mm with a variety of plain and bain marie tops. There is the option of electric, natural or LP gas heating.

The diverse choice of extra fittings includes doors both sides, tray rails, castors and a comprehensive range of heated gantries and over shelves.

An innovation is the unique three sliding door system which facilitates access to the centre of the cupboard and the loading of wide baking dishes.



ATLAS RANGE






Plain top

the simple facts

heavy duty plain top hotcupboards
 available in gas or electric
 choice of four standard lengths
 available in non-standard lengths of your choice at extra cost
 all are 915mm high (adjustable) and 700mm wide
 13amp plug supply fitted to all electric models
 fitted two shelves, one at the base one at the centre



technical information

	size 2	size 3	size 4	size 5
height (mm)	915	915	915	915
width (mm)	700	700	700	700
length (mm)	760	1090	1420	1750
plated meals	45	72	90	108
shelves	2	2	2	2
electric kw	2.0	2.0	2.9	2.9
gas kw	1.9	1.9	2.8	2.8
power options	 	 	 	 

Also available ambient with or without doors with either one or two shelves

features

- strongly built in stainless steel
- doors are easily removed for cleaning
- fitted with 2m cable for 240v supply
- heat controlled by thermostat graduated in degrees centigrade
- element protected against spilt food
- robust chromed door handles
- innovative 3 door system facilitates access to centre of cupboard

optional extras

- lamp gantries / serving shelves / sneeze screens - see page 9
- tray rails drop down or fixed
- castors and push bar
- doors both sides

ATLAS RANGE

Plain top



Atlas
size 4



ATLAS RANGE

Full bain marie

the simple facts

dry or wet well bain marie hotcupboards available in gas or electric

dry heat bain marie not available on gas cupboards

choice of four standard lengths

available in non-standard lengths of your choice at extra cost

all are 915mm high (adjustable) and 700mm wide

13amp plug for sizes 2/3 dry heat. 30amp supply for sizes 2/3/4/5 wet well and sizes 4/5 dry heat

fitted with 2 shelves, one at the base and the other at the centre

13amp plug

bain mair hotcupboard

dry heat

wet well

gas supply

30amp supply



technical information

	size 2	size 3	size 4	size 5
height (mm)	915	915	915	915
width (mm)	700	700	700	700
length (mm)	760	1090	1420	1750
plated meals	33	54	69	81
shelves	2	2	2	2
electric wet well kw	5.0	5.0	5.9	5.9
electric dry heat kw	2.9	2.9	4.7	4.7
gas wet well kw	4.2	4.2	5.0	5.0
power options	  	  	 	 

Also available as an ambient cupboard with wet well bain marie with or without doors with one or two shelves

features

- strongly built in stainless steel
- doors are easily removed for cleaning
- heat controlled by thermostat graduated in degrees centigrade
- element protected against spilt food
- robust chromed door handles
- innovative 3 door system facilitates access to centre of cupboard

optional extras

- lamp gantries / serving shelves / sneeze screens - see page 9
- tray rails
- castors and push bar
- gastronorm containers - full, half or third sizes
- standard or de-luxe carvery pad
- doors both sides

ATLAS RANGE

Full bain marie



Atlas
size 5



ATLAS RANGE

Part plain/bain marie

the simple facts

dry or wet well part plain top/bain marie hotcupboards
any size of bain marie can be fitted in the 4 standard lengths
available in gas or electric

dry heat bain marie not available on gas cupboards

choice of four standard lengths

available in non-standard lengths of your choice at extra cost

all are 915mm high (adjustable) and 700mm wide

13amp plug for sizes 2/3 dry heat. 30amp supply for sizes 2/3/4/5 wet well and sizes 4/5 dry heat
fitted with 2 shelves, one at the base and the other at the centre

13amp plug

bain marie hotcupboard

gas supply

dry heat

wet well

30amp supply



technical information

	size 2	size 3	size 4	size 5
height (mm)	915	915	915	915
width (mm)	700	700	700	700
length (mm)	760	1090	1420	1750
plated meals	33	54	69	81
shelves	2	2	2	2
electric wet well kw	5.0	5.0	5.9	5.9
electric dry heat kw	2.9	2.9	3.8	3.8
gas wet well kw	4.2	4.2	5.0	5.0
power options	  	  	 	 

Also available as an ambient cupboard with wet well bain marie with or without doors with one or two shelves

features

- strongly built in stainless steel
- doors are easily removed for cleaning
- heat controlled by thermostat graduated in degrees centigrade
- element protected against spilt food
- robust chromed door handles
- innovative 3 door system facilitates access to centre of cupboard

optional extras

- lamp gantries / serving shelves / sneeze screens - see page 9
- tray rails
- castors and push bar
- gastronorm containers - full, half or third sizes
- standard or de-luxe carvery pad
- doors both sides

ATLAS RANGE

Part plain/bain marie



Atlas
size 3 with
infra red gantry



ATLAS RANGE

Bespoke lengths & runs



Two tier unit



Counter runs being manufactured at our Harlow factory



bespoke lengths

Whilst there are 4 standard lengths 760mm, 1090mm, 1420mm and 1750mm ATLAS hotcupboards/bains marie can be manufactured at extra cost to any length from 760mm to 2300mm. This will enable ATLAS to be specified where the layout of a kitchen demands a specific length.

counter runs

The flexibility gained from bespoke lengths enables the ATLAS range to be specified for a run of cupboards to optimise use of kitchen space. Any combination of ATLAS cupboards and optional fittings can be butted together.

two tier combinations

ATLAS plain top cupboards can be stacked to form two tier units.

more technical information on the ATLAS range

EFFICIENT CONTROL:

Caterlux heating systems are energy efficient. Internal deflectors keep the heat within the cupboard. Thermostatic control enables the chef to maintain the temperature of food well above the level of safe holding of hot food.

ELECTRIC CONNECTIONS:

2m of cable is supplied which exits as standard top right adjacent to the controls. At extra cost the cable can exit on the left and separate 13amp supplies can be provided for the cupboard and bain marie. Heating gantries come with 3m cable exiting under the flange of the top. At extra cost the gantry and the cupboard supplies can be combined subject to loading.

GAS CONNECTIONS:

Connection to the supply is by a 3/8" BSP thread located at the base of the cupboard adjacent to the controls front right doors side.

NATURAL/LP GAS HEATING:

The ECONOGAS system incorporates flame failure, thermostat and piezo ignition. It is approved to Gas Directive 90/336/EEC.

ELECTRIC HEATING:

The long 'lo-glo' elements give uniform heat distribution to ensure an even temperature throughout the cupboard.

ATLAS RANGE

Gantries & options

the simple facts

- strongly built in stainless steel
- choice of four standard lengths
- also available in non-standard lengths of your choice at extra cost
- 13amp plug supply fitted
- choose either halogen/infra red heat or ambient
- choose from single or two tier versions
- option of sneeze screen

13amp plug gantries & shelves



technical information

a choice of four sizes and different configurations are available.

	size 2	size 3	size 4	size 5
length (mm)	760	1090	1420	1750
power (kw)	0.6	0.6	0.9	1.2
lamps	2	2	3	4

halogen heat

gantry with upper shelf	upper shelf & sneeze screen	upper & mid shelf heated by lamps	upper & mid shelf with sneeze screen	2 tier with lamps heating shelf and top

infra red heat

gantry with upper shelf	upper shelf & sneeze screen	upper & mid shelf heated by lamps	upper & mid shelf with sneeze screen	ambient serving shelf