



## ECG6 - Lincat Silverlink 600 Electric Counter-top Chargrill - W 600 mm - 8.0 kW

Create that distinctive chargrilled flavour and branded appearance without the need for messy lava rocks with the Silverlink 600 Electric Chargrill.

- ✔ Offers the authentic taste and branded appearance of chargrilled food without the need for lava rock
- ✔ High heat retention of cast iron grids means there is no waiting for the grill to recover to cooking temperature
- ✔ The water bath keeps food succulent and reduces shrinkage, while the high heat retention cast iron grids ensure your output stays high throughout operation
- ✔ Hinging interlocked elements and integral water bath makes cleaning easier
- ✔ Integral splashguard with water funnel enables refilling of tank without cooling the cooking grid
- ✔ High temperature safety cut out for protection if water bath runs dry

### Specifications

Summary		Power and Performance	
<b>Brand</b>	Lincat	<b>Total Power kW</b>	8.0
<b>Range</b>	Silverlink 600	<b>IP Rating</b>	IP23
<b>Power Type</b>	Electric	<b>Cooking Area (Width x Depth) mm</b>	470 x 400
<b>Unit Type</b>	Counter-top	<b>Temperature Control</b>	Mechanical
<b>Available in UK Only</b>	No		
<b>UK Warranty</b>	2 Years Parts and Labour Warranty		
<b>Export Warranty</b>	Contact your local dealer		
<b>GTIN</b>	5056105104698		

Key Specifications		Capacity	
<b>Number of Heat Zones</b>	1	<b>Product Output per Hour</b>	70 x 225g [8oz] steaks [chilled], 90 x 115g [4oz]

Weights and Dimensions		Supply Connections	
<b>Unit Height (External) mm</b>	385	<b>Requires Installation</b>	Yes
<b>Unit Width (External) mm</b>	600	<b>Requires Electrical Supply</b>	Yes
<b>Unit Depth (External) mm</b>	620	<b>UK 3 Pin Plug</b>	No
<b>Net Weight Kg</b>	29.8	<b>Requires Hardwiring</b>	Yes
		<b>Electrical Supply Rating Watts</b>	8,000
		<b>Single Phase Amps</b>	34.8
		<b>Single Phase Voltage</b>	230
		<b>Three Phase Amps</b>	L1=11.6; L2=11.6; L3=11.6
		<b>Three Phase Voltage</b>	400

Shipping	
<b>Packed Weight Kg</b>	32.78
<b>Packed Height cm</b>	59.5
<b>Packed Width cm</b>	70
<b>Packed Depth cm</b>	70




### Available Accessories

- CC6** Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 600 mm
- CN6** Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 600 mm

**Available Accessories**

- HC6** Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 600 mm - 0.5 kW
- HCL6** Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 600 mm - 0.5 kW
- SLS6** Lincat Silverlink 600 Free-standing Floor Stand - for units W 600 mm

**Technical Picture**





**Lincat Limited**

Whisby Road,  
Lincoln, LN6 3QZ,  
United Kingdom

**Company No:** 2175448

A member company of



**Customer Care**

**Tel:** +44 1522 875500  
**Email:** [care@lincat.co.uk](mailto:care@lincat.co.uk)

**Export Customers**

**Tel:** +44 1522 875536  
**Email:** [export@lincat.co.uk](mailto:export@lincat.co.uk)

**Opening Hours**

**Monday – Friday:**  
8.30am – 5pm