



F76/151 - IMC Ventus V60
Bottle Cooler [Front
Load] - Glass Door -
Stainless Steel Frame - H
850 mm - W 600 mm -
R290

Ventus forms part of our dynamic range of bottle coolers. With over 150 options you can be assured that the feature packed V60 can be tailored to suit any bar environment.

- ✓ Reduced 850mm height
- ✓ Wide range of options available to customise your bottle cooler, ensure a perfect fit in any bar.
- ✓ Elegant, flexible storage for up to 78 bottles
- ✓ Dynamic Air Distribution System coupled with efficient compressors and improved insulation ensures superior cooling times.
- ✓ Electronic temperature control keeps drinks at the perfect serving temperature
- ✓ Energy efficient EcoSmart controller - at the touch of a button, put the bottle cooler into its most economical state until next required
- ✓ Sleek stainless steel interior and LED lighting to enhance display
- ✓ Single double-glazed lockable door for enhanced security
- ✓ UK 3 pin plug allows users to simply plug in and switch on

Specifications

Summary

Brand	IMC
Range	Ventus
Power Type	Electric
Unit Type	Free-standing
Available in UK Only	No
UK Warranty	2 Years Parts and Labour Warranty
Export Warranty	Contact your local dealer
GTIN	5056105197324

Power and Performance

Total Power kW	0.393
Temperature Range °C	2-6
IP Rating	IPX1
Temperature Control	Electronic

Key Specifications

Door Hinge	Right
Door Location	Front
Lockable Door	Yes
Colour	Stainless Steel
Number of Doors	1
Reversible Door	Yes
Door Type	Standard frame, glass
Number of Shelves included	2
Number of Shelf Positions	29
Refrigerant Type	R290
Type of Lighting	LED

Capacity

Capacity Bottles	78
Capacity Litres	119

Weights and Dimensions

Unit Height (External) mm	850
Unit Width (External) mm	600
Unit Depth (External) mm	500
Height (Internal) mm	705
Width (Internal) mm	526
Depth (Internal) mm	377
Shelf Dimensions Width mm	510
Shelf Dimensions Depth mm	373
Net Weight Kg	0

Supply Connections

Requires Installation	No
Requires Electrical Supply	Yes
UK 3 Pin Plug	Yes
Requires Hardwiring	No
Electrical Supply Rating Watts	393
Single Phase Amps	1.64
Single Phase Voltage	240

Shipping

Packed Weight Kg	64
Packed Height cm	106
Packed Width cm	67
Packed Depth cm	58

Available Options

Door Type

VS407	VS407 - Change to Left Hinged Glass Door
VS431	VS431 - Change to Solid Door
VS455	VS455 - Change to Left Hinged Solid Door
VS476	VS476 - Change to Fixing Point Glass Door
VS479	VS479 - Change to L/H Fixing Point Glass Door
VS505	VS505 - Change to L/H Fixing Point Solid Door
VS506	VS506 - Change to Fixing Point Solid Door

Wood Cladding

VS404	VS404 - Wood Cladding Kit - Add to F-Point Door
--------------	---

Handle Type

VS446HOR	VS446HOR - Short Horizontal Handle
VS446VER	VS446VER - Short Vertical Handle
VS447HOR	VS447HOR - Long Horizontal Handle
VS447VER	VS447VER - Long Vertical Handle

Lighting

VS852	VS852 - Change to Red LED Lights
VS853	VS853 - Change to Green LED Lights
VS854	VS854 - Change to Blue LED Lights

Shelving Type

VS359	VS359 - Change to Wine Shelving
VS399	VS399 - Change to Perforated Shelving

EU Plug

VS401	VS401 - Change to EU Plug
--------------	---------------------------

De-Gassed

VS1017	VS1017 - De-Gassed for Air Freight
---------------	------------------------------------

Available Accessories

A12/091/Z1	Wire Shelf - Chrome - for M60 Bottle Cooler
A12/100	Wine Shelf - Chrome - for M60 Bottle Cooler
S76/048	Perforated Shelf - for V60 - 500D



Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm