



F76/251 - IMC Ventus V90  
Bottle Cooler [Front  
Load] - Glass Door -  
Stainless Steel Frame - H  
850 mm - W 900 mm -  
R290

Ventus forms part of our dynamic range of bottle coolers. With over 150 options you can be assured that the feature packed V90 can be tailored to suit any bar environment.

- ✓ Reduced 850mm height
- ✓ Wide range of options available to customise your bottle cooler, ensure a perfect fit in any bar.
- ✓ Elegant, flexible storage for up to 117 bottles
- ✓ Dynamic Air Distribution System coupled with efficient compressors and improved insulation ensures superior cooling times.
- ✓ Electronic temperature control keeps drinks at the perfect serving temperature
- ✓ Energy efficient EcoSmart controller - at the touch of a button, put the bottle cooler into its most economical state until next required
- ✓ Sleek stainless steel interior and LED lighting to enhance display
- ✓ Twin double-glazed lockable doors for enhanced security
- ✓ UK 3 pin plug allows users to simply plug in and switch on

## Specifications

### Summary

<b>Brand</b>	IMC
<b>Range</b>	Ventus
<b>Power Type</b>	Electric
<b>Unit Type</b>	Free-standing
<b>Available in UK Only</b>	No
<b>UK Warranty</b>	2 Years Parts and Labour Warranty
<b>Export Warranty</b>	Contact your local dealer
<b>GTIN</b>	5056105197607

### Power and Performance

<b>Total Power kW</b>	0.410
<b>Temperature Range °C</b>	2-6
<b>IP Rating</b>	IPX1
<b>Temperature Control</b>	Electronic

### Key Specifications

<b>Door Hinge</b>	Left; Right
<b>Door Location</b>	Front
<b>Lockable Door</b>	Yes
<b>Colour</b>	Stainless Steel
<b>Number of Doors</b>	2
<b>Door Type</b>	Standard frame, glass
<b>Number of Shelves included</b>	2
<b>Number of Shelf Positions</b>	29
<b>Refrigerant Type</b>	R290
<b>Type of Lighting</b>	LED

### Capacity

<b>Capacity Bottles</b>	117
<b>Capacity Litres</b>	185

Weights and Dimensions		Supply Connections	
------------------------	--	--------------------	--

Unit Height (External) mm	850	Requires Installation	No
Unit Width (External) mm	900	Requires Electrical Supply	Yes
Unit Depth (External) mm	500	UK 3 Pin Plug	Yes
Height (Internal) mm	705	Requires Hardwiring	No
Width (Internal) mm	826	Electrical Supply Rating Watts	410
Depth (Internal) mm	377	Single Phase Amps	1.71
Shelf Dimensions Width mm	810	Single Phase Voltage	240
Shelf Dimensions Depth mm	373		
Net Weight Kg	0		

### Shipping

Packed Weight Kg	90
Packed Height cm	109
Packed Width cm	96
Packed Depth cm	58

### Available Options

<b>Door Type</b>	
VS417	VS417 - Change to Fixing Point Solid Door
VS429	VS429 - Change to Solid Door
VS473	VS473 - Change to Fixing Point Glass Door
<b>Wood Cladding</b>	
VS405	VS405 - Wood Cladding Kit - Add to F-Point Door
<b>Handle Type</b>	
VS446HOR	VS446HOR - Short Horizontal Handle
VS446VER	VS446VER - Short Vertical Handle
VS447HOR	VS447HOR - Long Horizontal Handle
VS447VER	VS447VER - Long Vertical Handle
<b>Lighting</b>	
VS855	VS855 - Change to Red LED Lights
VS856	VS856 - Change to Green LED Lights
VS857	VS857 - Change to Blue LED Lights
<b>Shelving Type</b>	
VS360	VS360 - Change to Wine Shelving
VS400	VS400 - Change to Perforated Shelving
<b>EU Plug</b>	
VS401	VS401 - Change to EU Plug
<b>De-Gassed</b>	
VS1017	VS1017 - De-Gassed for Air Freight

### Available Accessories

A12/092/Z1	Wire Shelf - Chrome - for M90 Bottle Cooler
A12/101	Wine Shelf - Chrome - for M90 Bottle Cooler
S76/047	Perforated Shelf - for V90 - 500D



**Lincat Limited**

Whisby Road,  
Lincoln, LN6 3QZ,  
United Kingdom

**Company No:** 2175448

A member company of



**Customer Care**

**Tel:** +44 1522 875500  
**Email:** care@lincat.co.uk

**Export Customers**

**Tel:** +44 1522 875536  
**Email:** export@lincat.co.uk

**Opening Hours**

**Monday – Friday:**  
8.30am – 5pm