



F76/372/B - IMC Ventus
V135 Bottle Cooler [Front
Load] - Full Front Glass
Door - Black Painted
Frame - H 800 mm - W
1350 mm - R290

Ventus forms part of our dynamic range of bottle coolers. With over 150 options you can be assured that the feature packed V135 can be tailored to suit any bar environment.

- ✓ Full front door for seamless integration
- ✓ Reduced 800mm height
- ✓ Wide range of options available to customise your bottle cooler, ensure a perfect fit in any bar
- ✓ Elegant, flexible storage for up to 185 bottles
- ✓ Dynamic Air Distribution System coupled with efficient compressors and improved insulation ensures superior cooling times
- ✓ Electronic temperature control keeps drinks at the perfect serving temperature
- ✓ Energy efficient EcoSmart controller - at the touch of a button, put the bottle cooler into its most economical state until next required
- ✓ Sleek stainless steel interior and LED lighting to enhance display
- ✓ Double glazed doors for enhanced insulation
- ✓ UK 3 pin plug allows users to simply plug in and switch on

Specifications

Summary

Brand	IMC
Range	Ventus
Power Type	Electric
Unit Type	Free-standing
Available in UK Only	No
UK Warranty	2 Years Parts and Labour Warranty
Export Warranty	Contact your local dealer
GTIN	5056105197874

Power and Performance

Total Power kW	0.664
Temperature Range °C	2-6
IP Rating	IPX1
Temperature Control	Electronic

Key Specifications

Door Hinge	Left; Right; Right
Door Location	Front
Lockable Door	Yes
Colour	Black Painted
Number of Doors	3
Door Type	Full front, glass
Number of Shelves included	2
Number of Shelf Positions	29
Refrigerant Type	R290
Type of Lighting	LED

Capacity

Capacity Bottles	185
Capacity Litres	269

Weights and Dimensions		Supply Connections	
------------------------	--	--------------------	--

Unit Height (External) mm	800	Requires Installation	No
Unit Width (External) mm	1350	Requires Electrical Supply	Yes
Unit Depth (External) mm	500	UK 3 Pin Plug	Yes
Height (Internal) mm	655	Requires Hardwiring	No
Width (Internal) mm	1276	Electrical Supply Rating Watts	664
Depth (Internal) mm	377	Single Phase Amps	2.77
Shelf Dimensions Width mm	1266	Single Phase Voltage	240
Shelf Dimensions Depth mm	373		
Net Weight Kg	0		

Shipping	
----------	--

Packed Weight Kg	0
Packed Height cm	0
Packed Width cm	0
Packed Depth cm	0

Available Options	
-------------------	--

Door Type	
VS1033	VS1033 - Change to Full Front Cladded Doors
VS749	VS749 - Change to Solid Door
Lighting	
VS858	VS858 - Change to Red LED Lights
VS859	VS859 - Change to Green LED Lights
VS860	VS860 - Change to Blue LED Lights
Shelving Type	
VS439	VS439 - Change to Wine Shelving
VS587	VS587 - Change to Perforated Shelving
EU Plug	
VS401	VS401 - Change to EU Plug
De-Gassed	
VS1017	VS1017 - De-Gassed for Air Freight

Available Accessories	
-----------------------	--

A12/099	Wire Shelf - Chrome - for M135 Bottle Cooler
A12/102	Wine Shelf - Chrome - for M135 Bottle Cooler
S76/153	Perforated Shelf - for V135 - 500D



Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm