



## FDB4 - Lincat Seal Counter-top Food Display Bar - Refrigerated - W 1045 mm - 0.175 kW

Prepare perfect pizzas and sandwiches either at the front of house or back of house with the Seal Food Display Bar.

- ✓ The unit has precise thermostatic control of temperature with digital display and high/low temperature warning, which gives the user confidence that their food will stay fresh
- ✓ Fully welded stainless steel construction, which gives the unit a stylish look but also means that it's hygienic and easy to clean
- ✓ Holds food at 3°C-7°C in ambient conditions up to 25°C
- ✓ Optional back service glass; self-service glass; stainless steel hinged lid; wall brackets; gastronorm containers and lids
- ✓ The unit is refrigerated from the sides and also the well basins giving even cool air distribution throughout the bar length
- ✓ Its low profile enables it to hold 100 mm gastronorm containers

### Specifications

Summary		Power and Performance	
<b>Brand</b>	Lincat	<b>Total Power kW</b>	0.175
<b>Range</b>	Seal	<b>Temperature Range °C</b>	3-7
<b>Power Type</b>	Electric	<b>IP Rating</b>	IP21
<b>Unit Type</b>	Counter-top	<b>Temperature Control</b>	Electronic
<b>Available in UK Only</b>	No		
<b>UK Warranty</b>	2 Years Parts and Labour Warranty		
<b>Export Warranty</b>	Contact your local dealer		
<b>GTIN</b>	5056105104186		

Key Specifications		Capacity	
<b>Refrigerant Type</b>	R134a	<b>Gastronorm Capacity</b>	4 x GN1/3

Weights and Dimensions		Supply Connections	
<b>Unit Height (External) mm</b>	245	<b>Requires Installation</b>	No
<b>Unit Width (External) mm</b>	1056	<b>Requires Electrical Supply</b>	Yes
<b>Unit Depth (External) mm</b>	377	<b>UK 3 Pin Plug</b>	Yes
<b>Net Weight Kg</b>	22	<b>Requires Hardwiring</b>	No
		<b>Electrical Supply Rating Watts</b>	175
		<b>Single Phase Amps</b>	0.80
		<b>Single Phase Voltage</b>	230

Shipping	
<b>Packed Weight Kg</b>	26.5
<b>Packed Height cm</b>	40
<b>Packed Width cm</b>	120
<b>Packed Depth cm</b>	56




Available Accessories	
<b>BSG4</b>	BACK SERVE GL. FDB4
<b>DBL4</b>	S/S LID FOR FDB4
<b>DBWB</b>	FDB WALL BRACKET
<b>SGP1004</b>	GN PACK FOR FDB4 - 4 X 100mm DEEP 1/3 GN WITH STAINLESS STEEL LIDS
<b>SGP1004A</b>	GN PACK FOR FDB4 - 4 X 100mm DEEP 1/3 GN WITH ACRYLIC LIDS

Available Accessories

SSG4

SELF SERVE GL. FDB4

Technical Picture





**Lincat Limited**

Whisby Road,  
Lincoln, LN6 3QZ,  
United Kingdom

**Company No:** 2175448

A member company of



**Customer Care**

**Tel:** +44 1522 875500  
**Email:** care@lincat.co.uk

**Export Customers**

**Tel:** +44 1522 875536  
**Email:** export@lincat.co.uk

**Opening Hours**

**Monday – Friday:**  
8.30am – 5pm