

R-SERIES MULTIDECK - NIGHT BLIND TECHNICAL DATASHEET



	R70-CN	R100-CN	R125-CN	R150-CN	R180-CN
Dimensions (mm)					
Width	710	960	1250	1510	1856
Depth	636	636	636	636	636
Height	1765	1765	1765	1765	1765
Total Display Area (m ²)	0.8	1.12	1.48	1.81	2.24
Capacity					
Capacity (ltrs / cu.ft.)	201 / 7.1	279 / 9.9	370 / 13.1	452 / 16	559 / 19.8
Capacity (330ml cans)	153	221	289	357	447

KEY FEATURES

- Night blind
- Slimline design – maximum display in minimal footprint
- Designed and engineered to operate efficiently up to 25°C ambient
- Innovative, energy saving aerofins double as ticket strips
- Ceiling mounted LED strip lighting
- R452A refrigerant
- Double wheel castors
- Adjustable shelving

OPTIONS

- Security shutter
- Sliding front doors
- Hinged front doors
- Chrome, impulse snack basket
- Additional shelving (White or Stainless)
- Undershelf LED strip lighting to all shelves
- Food tray slide
- Solid or glass rear loading doors
- Enhanced panoramic glass ends
- Choice of RAL coloured finishes
- Chameleon wrap
- Remote refrigeration system
- Multiplexed units
- Meat temperature



GEM R-SERIES MULTIDECKS TECHNICAL DATA

R-Series Nightblind	R70-CN	R100-CN	R125-CN	R150-CN	R180-CN
Temperature (°C)	+3/+5°C	+3/+5°C	+3/+5°C	+3/+5°C	+3/+5°C
Climate Class	3	3	3	3	3
Power Supply	230V/50Hz/1Ph				
Fuse (Amps)	13	13	13	13	13
Defrost					
Noise level (dBA)	52	56	58.5	60	63.5
Weight WCN	143	160	185	200	245
SCN	193	210	235	250	295

Fittings

	R70-CN	R100-CN	R125-CN	R150-CN	R180-CN
Shelves	3	3	3	3	3
Shelf Size (w x d)	640 x 290	890 x 290	1180 x 290	1440 x 290	1780 x 290
Base Size (w x d)	640 x 385	890 x 385	1180 x 385	1440 x 385	1785 x 385

Electrical / Energy Data

	R452A	R452A	R452A	R452A	R452A
Refrigerant	R452A	R452A	R452A	R452A	R452A
Energy Consumption (kW / 24hrs)	8.3	9.36	11.76	14.4	18
Power Rating (W)	1065	950	1160	1376	1330

IMPORTANT NOTES:

*Heat rejection is evaporating at -10°C in 32°C Ambient

Williams is committed to a policy of continual product development and innovation. As such, we reserve the right to change product specifications stated without prior notice.

All refrigeration equipment requires adequate ventilation for efficient and effective performance.

Williams Refrigeration
Bryggen Road,
North Lynn Industrial Estate
King's Lynn, Norfolk. PE30 2HZ

T +44(0) 1553 817 000
Spares: +44(0) 1553 817 017
E info@williams-refrigeration.co.uk
W www.williams-refrigeration.co.uk

